

LIST OF PEER-REVIEWED PUBLICATIONS 1945-2014

Updated September 2014



“From the beginning of our work, clinical practice went hand-in-hand with research.”

Sir Ludwig Guttmann
1899-1980

Director of the first Spinal Injuries Unit, Stoke Mandeville Hospital
Founder of the Paralympic Games

2014

Ahmed WA, Lopez de Heredia L, Hughes RJ, Belci M, Meagher TM. Outcomes of whole-body computed tomography in spinal cord-injured patients with sepsis. *Spinal Cord* 2014; 52(7):536-540.

Cochrane P, Masri W, Silver J. The effects of steroids on the incidence of gastrointestinal haemorrhage after spinal cord injury: A case-controlled study. *Spinal Cord* 2014; 52(6):501.

Coggrave M, Norton C. Management of faecal incontinence and constipation in adults with central neurological diseases. *Cochrane Database Syst Rev.* 2014 Jan 13; 1:CD002115.

Gray AM, Pounds-Cornish E, Eccles FJR, Aziz TZ, Green AL, Scott RB. Deep brain stimulation as a treatment for neuropathic pain: A longitudinal study addressing neuropsychological outcomes. *The Journal of Pain* 2014; 15(3):283-292.

Lude P, Kennedy P, Elfstrom ML, Ballert CS. Quality of Life in and After Spinal Cord Injury Rehabilitation: A Longitudinal Multicenter Study. *Topics in Spinal Cord Injury Rehabilitation* 2014; 20(3):197-207.

Werndle MC, Saadoun S, Phang I, Czosnyka M, Varsos GV, Czosnyka ZH, Smielewski P, Jamous A, Bell BA, Zoumprouli A, Papadopoulos MC. Monitoring of Spinal Cord Perfusion Pressure in Acute Spinal Cord Injury: Initial Findings of the Injured Spinal Cord Pressure Evaluation Study. *Crit Care Med* 2014; 42(4).

Wong S, Jamous A, O'Driscoll J, Sekhar R, Weldon M, Yau CY et al. A Lactobacillus casei Shirota probiotic drink reduces antibiotic-associated diarrhoea in patients with spinal cord injuries: A randomised controlled trial. *Br J Nutr* 2014; 111(4):672-678.

2013

Berlowitz DJ, Ayas N, Barnes M, Brown DJ, Cistulli PA, Geraghty T, Graham A, Lee BB, Morris M, O'Donoghue F, Rochford PD, Ross J, Singhal B, Spong J, Wadsworth B, Pierce RJ. Auto-titrating continuous positive airway pressure treatment for obstructive sleep apnoea after acute quadriplegia (COSAQ): Study protocol for a randomized controlled trial. *Trials* 2013; 14(1):181.

Chhabra HS, Harvey LA, Muldoon S, Chaudhary S, Arora M, Brown DJ, Biering-Sorensen F, Wyndaele JJ, Charlifue S, Horsewell J, Ducharme S, Green D, Simpson D, Glinsky J, Weerts E, Upadhyay N, Aito S, Wing P, Katoh S, Kovindha A, Krassioukov A, Weeks C, Srikumar V, Reeves R, Siriwardane C, Hasnan N, Kalke YB, Lanig I. www.elearnSCI.org: A global educational initiative of ISCoS. *Spinal Cord* 2013; 51(3):176-182.

Coggrave M, Norton C. Management of faecal incontinence and constipation in adults with central neurological diseases. *Cochrane Database Syst Rev.* 2013 Dec 18;12:CD002115.

Dionello RF, Lopez de Heredia L, Hughes RJF, Meagher TMF, Belci MM, Warakaulle DRF. Indications for Interventional Radiology in the Management of Patients with Spinal Cord Injuries. *Topics in Spinal Cord Injury Rehabilitation* 2013; 19(3):211-221.

Emmanuel AV, Krogh K, Bazzocchi G, Leroi A-M, Bremers A, Leder D van Kuppevelt D, Mosiello G, Vogel M, Perrouin-Verbe B, Coggrave M, Christensen P. Consensus review of best practice of transanal irrigation in adults. *Spinal Cord* 2013; 51(10):732-738.

Hauptfleisch J, Meagher TM, Hughes RJ, Singh JP, Graham A, Lopez DH. Interobserver agreement of magnetic resonance imaging signs of osteomyelitis in pelvic pressure ulcers in patients with spinal cord injury. *Arch Phys Med Rehabil* 2013; 94(6):1107-1111.

Kennedy P, Cox A, Mariani A. Spinal cord injuries as a consequence of falls: Are there differential rehabilitation outcomes? *Spinal Cord* 2013; 51(3):209-213.

Kennedy P, Chessell ZJ. Traumatic versus non-traumatic spinal cord injuries: Are there differential rehabilitation outcomes? *Spinal Cord* 2013; 51(7):579-583.

Kennedy P, Lude P, Elfstrom ML, Cox A. Perceptions of Gain Following Spinal Cord Injury: A Qualitative Analysis. *Topics in Spinal Cord Injury Rehabilitation* 2013; 19(3):202-210.

New PW, Scivoletto G, Smith E, Townson A, Gupta A, Reeves RK, Post MWM, Eriks-Hoogland I, Gill ZA, Belci M. International survey of perceived barriers to admission and discharge from spinal cord injury rehabilitation units. *Spinal Cord* 2013; 51(12):893-897.

Silver JR, Weiner M-F. Electrical treatment of spinal cord injuries in the 18th and 19th centuries. *Journal of Medical Biography* 2013; 21 (2):75-84.

Silver JR. The making of Ludwig Guttmann. *Journal of Medical Biography* 2013; 21(4):229-238.

Silver JR, Weiner M-F. Sir Ludwig Guttmann: His neurology research and his role in the treatment of peripheral nerve injuries, 1939-1944. *Journal of the Royal College of Physicians of Edinburgh* 2013; 43(3):270-277.

Van Middendorp JJ, Hosman AJF, Doi SAR. The effects of the timing of spinal surgery after traumatic spinal cord injury: A systematic review and meta-analysis. *J Neurotrauma* 2013; 30(21):1781-1794.

Wong S, Derry F, Jamous A, Hirani SP, Forbes A. Is undernutrition risk associated with an adverse clinical outcome in spinal cord-injured patients admitted to a spinal centre? *Eur J Clin Nutr* 2013; 68(1):125-30.

Wong S, Graham A, Hirani SP, Grimble G, Forbes A. Validation of the Screening Tool for the Assessment of Malnutrition in Paediatrics (STAMP) in patients with spinal cord injuries (SCIs). *Spinal Cord* 2013; 51(5):424-429.

Wong S, Graham A, Green D, Hirani SP, Forbes A. Nutritional supplement usage in patients admitted to a spinal cord injury center. *J Spinal Cord Med* 2013; 36(6):645-651.

Wong S, Barnes T, Coggrave M, Forbes A, Pounds-Cornish E, Appleton S et al. Morbid obesity after spinal cord injury: an ailment not to be treated? *Eur J Clin Nutr* 2013; 67(9):998-999.

2012

Akhtar M, Kennedy P, Webster G, Graham A. What about us? Children's experiences of living with a sibling with spinal cord injury. *Journal of Pediatric Rehabilitation Medicine* 2012; 5(4):301-313.

Bluvshstein V, Front L, Itzkovich M, Benjamini Y, Galili T, Gelernter I, Aidinoff E, Hart J, Tesio L, Biering-Sorensen F, Weeks C, Laramie MT, Craven C, Hitzig SL, Glaser E, Zeilig G, Aito S, Scivoletto G, Mecci M, Chadwick RJ, El Masry WS, Osman A, Glass CA, Silva P, Soni BM, Gardner BP, Savic G, Bergstrom EM, Catz A. A new grading for easy and concise description of functional status after spinal cord lesions. *Spinal Cord* 2012; 50(1): 42-50.

Chandra J, Sheerin F, Lopez de Heredia L, Meagher T, King D, Belci M, Hughes RJ. MRI in acute and subacute post-traumatic spinal cord injury: pictorial review. *Spinal Cord* 2012 Jan; 50(1): 2-7.

Coggrave MJ, Ingram RM, Gardner BP, Norton CS. The impact of stoma for bowel management after spinal cord injury. *Spinal Cord* 2012; 50(11):848-852.

Frankel HL. The Sir Ludwig Guttmann lecture 2012: the contribution of Stoke Mandeville Hospital to spinal cord injuries. *Spinal Cord* 2012; 50(11):790-796.

Kennedy P, Lude P, Elfström ML and Smithson E. Appraisals, coping and adjustment pre and post SCI rehabilitation: a 2-year follow-up study. *Spinal Cord* 2012 Feb; 50(2): 112-8.

Kennedy P, Smithson E, and Blakey L. Planning and Structuring Spinal Cord Injury Rehabilitation: The Needs Assessment Checklist. *Topics in Spinal Cord Injury Rehabilitation* 2012; 18(2): 135-137.

Lopez de Heredia L, Hauptfleisch J, Hughes R, Graham A, Meagher T. Magnetic resonance imaging of pressure sores in spinal cord injured patients: Accuracy in predicting osteomyelitis. *Topics in Spinal Cord Injury Rehabilitation* 2012; 18(2):146-148.

Lopez de Heredia LLP, Meagher TMM, Jamous MA, Hughes RJ. Long-term effect of MRI on sacral anterior root stimulator: the Stoke Mandeville experience. *Spinal Cord* 2012; 50(4):294-297.

Meagher TM, Belci M, Lopez de Heredia L, Ansorge O, Jamous A, Saif M, Hughes R. Resolution of SPAM following cordectomy: Implications for understanding pathophysiology. *Spinal Cord* 2012; 50(8):638-640.

Silver JR, Weiner M-F. George Riddoch: The man who found Ludwig Guttmann. *Spinal Cord* 2012; 50(2):88-93.

Silver JR. Ludwig Guttmann (1899-1980), Stoke Mandeville Hospital and the Paralympic Games. *Journal of Medical Biography* 2012; 20(3):101-105.

Silver JR, El Masri WS. The prevalence of pulmonary embolism in chronically paralyzed subjects: A review of available evidence. *Spinal Cord* 2012; 50(12):931.

Van Middendorp JJ, Barbagallo G, Schuetz M, Hosman AJ. Design and rationale of a Prospective, Observational European Multicenter study on the efficacy of acute surgical decompression after traumatic Spinal Cord Injury: the SCI-POEM study. *Spinal Cord* 2012;

50(9):686-694.

Wong S, Derry F, Graham A, Grimble G & Forbes A. An audit to assess awareness and knowledge of nutrition in a UK spinal cord injuries centre. *Spinal Cord* 2012;50(6):446-5.

Wong S, Graham A, Harini SP, Grimble G, Forbes A. Profile and prevalence of malnutrition in children with spinal cord injuries-assessment of the Screening Tool for Assessment of Malnutrition in Paediatrics (STAMP). *Spinal Cord* 2012; 50(1):67-71.

Wong S, Derry F, Jamous A, Hirani SP, Grimble G & Forbes A. Validation of the Spinal Nutrition Screening Tool (SNST) in patients with spinal cord injuries (SCI) - result form a multicentre study. *Eur J Clin Nutr* 2012; 50(2):132-5.

2011

Aidinoff E, Front L, Itzkovich M, Bluvshstein V, Gelernter I, Hart J, Biering-Soerensen F, Weeks C, Laramee MT, Craven C, Hitzig SL, Glaser E, Zeilig G, Aito S, Scivoletto G, Mecci M, Chadwick RJ, Masry WS, Osman A, Glass CA, Soni BM, Gardner BP, Savic G, Bergström EM, Silva P, Catz A. Expected spinal cord independence measure, third version, scores for various neurological levels after complete spinal cord lesions. *Spinal Cord* 2011; 49(8): 893-6.

Bluvshstein V, Front L, Itzkovich M, Aidinoff E, Gelernter I, Hart J, Biering-Soerensen F, Weeks C, Laramee MT, Craven C, Hitzig SL, Glaser E, Zeilig G, Aito S, Scivoletto G, Mecci M, Chadwick RJ, El Masry WS, Osman A, Glass CA, Silva P, Soni BM, Gardner BP, Savic G, Bergström EM, Catz A. SCIM III is reliable and valid in a separate analysis for traumatic spinal cord lesions. *Spinal Cord* 2011; 49(2): 292-296.

Gélis A, Daures JP, Benaim C, Kennedy P, Albert T, Colin D, Joseph P-A, Pelissier J and Fattal C. Evaluating self-reported pressure ulcer prevention measures in persons with spinal cord injury using the revised Skin Management Needs Assessment Checklist: reliability study. *Spinal Cord* 2011; 49: 653-658.

Juul T, Bazzocchi G, Coggrave M, Johannesen IL, Hansen RB, Thiyagarajan C, Poletti E, Krogh K, Christensen P. Reliability of the International Spinal Cord Injury Bowel Function Basic and Extended Data Sets. *Spinal Cord* 2011(49): 886–891.

Kaiser S and Kennedy P. An exploration of cognitive appraisals following spinal cord injury. *Psychology, Health and Medicine* 2011; 16(6): 708-718.

Kennedy P, Lude P, Elfström ML, Smithson EF. Psychological contributions to functional independence: a longitudinal investigation of spinal cord injury rehabilitation. *Arch Phys Med Rehabil* 2011 Apr; 92(4): 597-602.

Kennedy P, Nolan M and Smithson EF. Psychological adjustment to spinal cord injury in Ireland: quality of life, appraisals and coping. *The Irish Journal of Psychology* 2011; 32 (3-4): 116-129.

Newton D, England M, Doll H, Gardner BP. The case for early treatment of dislocation of the cervical spine with spinal cord involvement sustained playing rugby. *J Bone Joint Surg Br* 2011 Dec; 93(12): 1646-52.

Stiers W, Nicholson Perry K, Kennedy P and Scherer MJ. Chapter 24: Rehabilitation Psychology. In: *IAAP Handbook of Applied Psychology*. Edited by Paul R Martin, Fanny M Cheung, Michael C Knowles, Michael Kyrios, Lyn Littlefield, J Bruce Overmier and José M Prieto: Wiley-Blackwell, 2011.

Savic G, Frankel HL, Jamous MA, King NK, Jones PW. Sensitivity to change of cutaneous electrical perceptual threshold test in longitudinal monitoring of sensory function in patients with spinal cord injury. *Spinal Cord* 2011; 49(3): 439–444.

Wong S, Graham A, Grimble G & Forbes A. Spinal Clinic for Obese Out-patient Project (SCOOP) – a 1 year report. *Food Nutr Sci* 2011; 2: 901-907.

Wong S, Derry F, Grimble G & Forbes A. How do spinal cord injury centres manage malnutrition? A cross-sectional survey of 12 SCIC in the UK and Ireland. *Spinal Cord* 2011 Oct 18.

Wong S, Derry F, Jamous A, Hirani SP, Grimble G & Forbes A (2011) The prevalence of malnutrition in spinal cord injured patients - a UK multicentre study. *Br J Nutr* 2011 December 15.

2010

Coggrave M, Norton C. The need for manual evacuation and oral laxatives in the management of neurogenic bowel dysfunction after spinal cord injury: a randomised controlled trial of a stepwise protocol. *Spinal Cord*. 2010 Jun; 48(6): 504-10.

Kennedy P, Sherlock O, McClelland M, Short D, Royle J, Wilson C. A multi-centre study of the community needs of people with spinal cord injuries: the first eighteen months. *Spinal Cord*. 2010; 48: 15-20.

Kennedy P, Smithson E, McClelland M, Short D, Royle J, Wilson C. Life satisfaction, appraisals and functional outcomes in spinal cord injured people living in the community. *Spinal Cord*. 2010; 48: 144-148.

Kennedy, P, Lude, P, Elfstrom M, Smithson E. Cognitive appraisals, coping and psychological outcomes: A multi-centre study of spinal cord injury rehabilitation. *Spinal Cord*. 2010; 48: 762-769.

Kennedy P, Lude P, Elfström M and Smithson E. Sense of coherence and psychological outcomes in people with spinal cord injury: appraisals and behavioural responses. *British Journal of Health Psycholog*. 2010; 15: 611-621.

Kennedy P, Lude P, Elfström ML and Smithson E . Psychological contributions to functional independence: A longitudinal investigation of spinal cord injury rehabilitation. *Archives of Physical Medicine and Rehabilitation* 2010; 92: 597-602.

Sarhan F, Weatherburn G, Graham A, Thiyagarajan C. Use of digital images in the assessment and treatment of pressure ulcers in patients with spinal injuries in community settings. *J Telemed Telecare*. 2010; 16(4): 207-10.

Savic G, Charlifue S, Glass C, Soni BM, Gerhart K, Jamous MA. British ageing with SCI study – changes in physical and psychosocial outcomes over time. *Topics in Spinal Cord Injury Rehabilitation*. 2010; 15(3): 41-53.

2009

Chevalier Z, Kennedy P, Sherlock O. Spinal cord injury, coping and adjustment: A literature review. *Spinal Cord*. 2009; 47: 778-782.

Coggrave M, Norton C, Wilson-Barnett J. Management of neurogenic bowel dysfunction in the community after spinal cord injury: a postal survey in the United Kingdom. *Spinal Cord*. 2009; 47(4): 323-330.

Coggrave M, Norton C. Teaching transanal irrigation for functional bowel disorders. *British Journal of Nursing*. 2009; 18(4): 219-224.

Coggrave M (ed) on behalf of the Bowel Management Guidelines Development Group. *Guidelines for management of neurogenic bowel after spinal cord injury*. 2009; [http://www.mascip.co.uk/pdfs/SIA-MASCIP_bowel_guidelines\(1\).pdf](http://www.mascip.co.uk/pdfs/SIA-MASCIP_bowel_guidelines(1).pdf)

Cotter I. Chapter 7, Cognitive impairment following SCI: implications for rehabilitation. In: Craig A, Train J, (eds). *Psychological Dynamics Associated with Spinal Cord Injury Rehabilitation: New Directions and Best Evidence*. New York: Nova Science; 2009.

Dean R, Kennedy P. Measuring Appraisals following Spinal Cord Injury: A Preliminary Psychometric Analysis of the Appraisals of Disability. *Rehabilitation Psychology*. 2009; 54: 222-231.

Duff J. Chapter 3, Rehabilitation and goal planning approaches following spinal cord injury: facilitating adjustment. In: Craig A, Train J (eds). *Psychological Dynamics Associated with Spinal Cord Injury Rehabilitation: New Directions and Best Evidence*. New York: Nova Science; 2009.

Glass CA, Tesio L, Itzkovich M, Soni BM, Silva P, Mecci M, Chadwick R, El Masry W, Osman A, Savic G, Gardner B, Bergström E and Catz A. Spinal Cord Independence Measure, version III (SCIM-III): Applicability to the United Kingdom spinal cord injured (SCI) population. *J Rehabil Med*. 2009; 41(9): 723-8.

Kennedy P. Chapter 2, Coping effectively with spinal cord injuries. In: Craig A, Train J, (eds). *Psychological Dynamics Associated with Spinal Cord Injury Rehabilitation: New Directions and Best Evidence*. New York: Nova Science; 2009.

Kennedy P, Evans M and Sandhu N. Psychological adjustment to spinal cord injury: the contribution of coping, hope and cognitive appraisals. *Psychology, Health & Medicine*. 2009; 14: 17-33.

Kennedy P, Scott-Wilson U, Sandhu, N. The psychometric investigation of a brief and sensitive measure of perceived manageability. *Psychology, Health and Medicine*. 2009; 14(4): 454-465.

Kennedy P, Sherlock O and Sandu N. Rehabilitation outcomes in people with pre-morbid mental health disorders following spinal cord injury. *Spinal Cord*. 2009; 47: 290-294.

King NK, Savic G, Frankel H, Jamous A, Ellaway P. Reliability of cutaneous electrical perceptual threshold in the assessment of sensory perception in patients with spinal cord injury. *Journal of Neurotrauma*. 2009; 26(7): 1061-1068.

Songhuai L, Olver L, Jianjun L, Kennedy P, Genlin L, Duff J and Scott-Wilson, U. A comparative review of life satisfaction, quality of life and mood between Chinese and British people with tetraplegia. *Spinal Cord*. 2009; 47, 82-86.

Webster G. Chapter 4, Paediatric spinal cord injury: impact on children and families. In: Craig A, Train J, (eds). *Psychological Dynamics Associated with Spinal Cord Injury Rehabilitation: New Directions and Best Evidence*. New York: Nova Science; 2009.

2008

Anderson K, Aito S, Atkins M, Biering-Sørensen F, Charlifue S, Curt A, Ditunno J, Glass C, Marino R, Marshall R, Mulcahey MJ, Post M, Savic G, Scivoletto G, Catz A; Functional Recovery Outcome Measures Work Group. Functional recovery measures for spinal cord injury: an evidence-based review for clinical practice and research. *J Spinal Cord Med*. 2008; 31(2): 133-44.

Clarke M, Thiyagarajan CA. A systematic review of technical evaluation in telemedicine systems. *Telemed J E Health*. 2008 Mar; 14(2): 170-83. Review.

Coggrave M. Research roundup. *British Journal of Neuroscience Nursing* 2008 January 01; 4(1): 38-39.

Coggrave M. Neurogenic continence. Part 3: Bowel management strategies. *Br J Nurs*. 2008 Aug 14-Sep 10; 17(15): 962-8. Review.

Christensen P, Bazzocchi G, Coggrave M, Abel R, Hulting C, Krogh K, Media S, Laurberg S. Outcome of transanal irrigation for bowel dysfunction in patients with spinal cord injury. *J Spinal Cord Med*. 2008; 31(5): 560-7.

Coggrave M. Neurological bowel care (Chap 19). In: Norton C, Williams J, Taylor C, Nunwa A, Whayman K (eds). *Oxford Handbook of Gastrointestinal Nursing*. Oxford University Press: Oxford, UK; 2008.

Dakhil-Jerew F, Brook S, Derry F. Autonomic dysreflexia triggered by breastfeeding in a tetraplegic mother. *J Rehabil Med*. 2008 Oct; 40(9): 780-2.

Dawson J, Shamley D, Jamous MA. A structured review of outcome measures used for the assessment of rehabilitation interventions for spinal cord injury. *Spinal Cord*. 2008 ; 46(12): 768-80.

Gall A, Horne D, Kennedy P, Turner-Stokes L and Tussler D. No. 9: Chronic spinal cord injury: management of patients in acute hospital settings: National Guidelines. *Concise Guidance to Good Practice: RCP, BSRM, MASCIP and BASCIP*; 2008.

Kennedy P. *Coping Effectively with Spinal Cord Injuries: Therapists Guide*. Treatments that work series. Oxford University Press; 2008.

Kennedy P. *Coping Effectively with Spinal Cord Injuries: Workbook*. Treatments that work series. Oxford University Press; 2008.

Planner AC, Pretorius PM, Graham A, Meagher TM. Subacute progressive ascending myelopathy following spinal cord injury: MRI appearances and clinical presentation. *Spinal Cord*. 2008 Feb; 46(2): 140-4.

Singhal B, Mohammed A, Samuel J, Mues J, Kluger P. Neurological outcome in surgically treated patients with incomplete closed traumatic cervical spinal cord injury. *Spinal Cord*. 2008 Sep; 46(9): 603-7.

2007

Bryce TN, Norrbrink Budh C, Cardenas DD, Dijkers M, Roy Felix ER, Finnerup NB, Kennedy P, Lundeberg T, Scott Richards J, Rintala DH, Siddall P, Widerstrom-Noga E. Pain after spinal cord injury: an evidence-based review for Clinical Practice and Research. *Journal of Spinal Cord Medicine*. 2007; 30(5): 421-440.

Catz A, Itzkovich M, Tesio L, Biering-Sorensen F, Weeks C, Laramée MT, Craven BC, Tonack M, Hitzig SL, Glaser E, Zeilig G, Aito S, Scivoletto G, Mecci M, Chadwick RJ, El Masry WS, Osman A, Glass CA, Silva P, Soni BM, Gardner BP, Savic G, Bergstrom EM, Bluvshstein V, Ronen J. A multicenter international study on the Spinal Cord Independence Measure, version III: Rasch psychometric validation. *Spinal Cord*. 2007; 45(4): 275-91.

Chandler M, Kennedy P. The association between threat appraisals and psychological adjustment in partners of people with spinal cord injuries. *Rehabilitation Psychology* 2007; 52(4): 470-477.

Coggrave M, Norton C, Wilson-Barnett J. A randomised controlled trial of a progressive protocol for neurogenic bowel management. 2007;
<http://www.icsoffice.org/publications/2007/PDF/0032.PDF>

Coggrave M, Norton C, Wilson-Barnett J. Assessing interventions for neurogenic bowel management using anorectal manometry. 2007;
<http://www.icsoffice.org/publications/2007/PDF/0031.PDF>

Coggrave M. Transanal irrigation after spinal cord injury. *Nurs Times*. 2007 Nov 20-26; 103(47): 44-6.

- Coggrave M. Transanal irrigation for bowel management. *Nurs Times*. 2007 Jun 26-Jul 2; 103(26): 47, 49.
- Donnelly C, McColl MA, Charlifue S, Glass C, O'Brien P, Savic G, Smith K. Utilization, access and satisfaction with primary care among people with spinal cord injuries: a comparison of three countries. *Spinal Cord*. 2007; 45(1): 25-36.
- Duff J. Rehabilitation Planning, Chapter 12. In: Kennedy P (ed). *Psychological Management of Physical Disabilities: A practitioner's guide*. London, New York: Routledge; 2007.
- Elfström ML, Kennedy P, Lude P, Taylor N. Condition-related coping strategies in persons with spinal cord lesion: a cross-national validation of the Spinal Cord Lesion-related Coping Strategies Questionnaire in four community samples. *Spinal Cord*. 2007; 45: 420-428.
- Ellaway PH, Catley M, Davey NJ, Kuppuswamy A, Strutton P, Frankel HL, Jamous MA, Savic G. Review of physiological motor outcome measures in spinal cord injury using transcranial magnetic stimulation and spinal reflexes. *Journal of Rehabilitation Research and Development*. 2007; 44 (1): 69-76.
- Itzkovich M, Gelernter I, Biering-Sorensen F, Weeks C, Laramie MT, Craven M, Tonack M, Hitzig SL, Glaser E, Zeilig G, Aito S, Scivoletto G, Mecci M, Chadwick RJ, El Masry WS, Osman A, Glass CA, Silva P, Soni BM, Gardner BP, Savic G, Bergström EMK, Bluvshstein V, Ronen J, Catz A. The Spinal Cord Independence Measure (SCIM) version III: Reliability and validity in a multi-center international study. *Disabil Rehabil*. 2007 Dec 30; 29(24): 1926-33.
- Kennedy P. Chapter on Spinal Cord Injury. In: Ayers S, Baum A, McManus C, Newman S, Wallston K, Weinman J, West R (eds). *Cambridge Handbook of Psychology, Health and Medicine*. 2nd edn. Cambridge University Press; 2007.
- Kennedy P, (ed). *Psychological Management of Physical Disabilities: A practitioner's guide*. London, New York: Routledge; 2007.
- Kennedy P. Introduction, context and overview. Chapter 1, Part 1. In: Kennedy P (ed). *Psychological Management of Physical Disabilities: A practitioner's guide*. London, New York: Routledge; 2007.
- Pollard C and Kennedy P. A longitudinal analysis of emotional impact, coping strategies and post-traumatic psychological growth following spinal cord injury: a 10-year review. *British Journal of Health Psychology*. 2007; 12: 347-362.
- Savic G, Bergström EMK, Frankel HL, Jamous MA, Jones PW. Inter-rater reliability of motor and sensory examinations performed according to American Spinal Injury Association standards. *Spinal Cord*. 2007; 45(6): 444-51.
- Savic G, Bergström EMK, Davey NJ, Ellaway PH, Frankel HL, Jamous MA, Nicotra A. Quantitative sensory tests (perceptual thresholds) in patients with spinal cord injury. *Journal of Rehabilitation Research and Development*. 2007; 44 (1): 77-82.
- Wang D, El-Masry WS, Crumplin M, Eisenstein S, Pusey RJ, Meagher T. Admiral Lord Nelson's death: known and unknown--a historical review of the anatomy. *Spinal Cord*. 2005 Oct; 43(10): 573-6. Review.

Webster G, Kennedy P. Spinal cord injuries. Chapter 6, Part 2. In: Kennedy P (ed). *Psychological Management of Physical Disabilities: A practitioner's guide*. London, New York: Routledge; 2007.

Webster G, Kennedy P. Addressing children's needs and evaluating rehabilitation outcome after spinal cord injury: the Child Needs Assessment Checklist and Goal-Planning Program. *Journal of Spinal Cord Medicine*. 2007; 30(1): S140-145.

2006

Al-Alawi S, Graham A. Late presentation of abdominal aortic occlusion in a patient with spinal cord injury. *J Wound Care*. 2006 Jan; 15(1): 31-2.

Agar E, Kennedy P, King NS. The role of negative cognitive appraisals in PTSD symptoms following spinal cord injuries. *Behavioural and Cognitive Psychotherapy*. 2006; 34: 437-452.

Bergström EMK. Aging with spinal cord injury. In: Bromley I (ed). *Tetraplegia and paraplegia: A Guide for Physiotherapists*. 6th edn. Edinburgh: Elsevier Churchill Livingstone; 2006.

Bergström EMK. Spinal cord injury in children. In: Bromley I (ed). *Tetraplegia and paraplegia: A Guide for Physiotherapists*. 6th edn. Edinburgh: Elsevier Churchill Livingstone; 2006.

Bromley I, Brownlee S, Rose L. Respiratory therapy. In: Bromley I (ed). *Tetraplegia and paraplegia: A Guide for Physiotherapists*. 6th edn. Edinburgh: Elsevier Churchill Livingstone; 2006.

Bromley I, Rose L. Wheelchairs and wheelchair management. In: Bromley I (ed). *Tetraplegia and paraplegia: A Guide for Physiotherapists*. 6th edn. Edinburgh: Elsevier Churchill Livingstone; 2006.

Coggrave M, Wiesel PH, Norton C. Management of faecal incontinence and constipation in adults with central neurological diseases. *Cochrane Database Syst Rev*. 2006 Apr 19; (2): CD002115. Review.

Christensen P, Bazzocchi G, Coggrave M, Abel R, Hultling C, Krogh K, Media S, Laurberg S. Treatment of fecal incontinence and constipation in patients with spinal cord injury - a prospective, randomized, controlled, multicentre trial of transanal irrigation vs. conservative bowel management. *Gastroenterology*. 2006 Sep; 131(3): 738-47.

Coggrave M, Burrows D, Durand MA. The use of a progressive protocol in the bowel management of spinal cord injured adults. *British Journal of Nursing*. 2006; 15(20): 1108-13.

Kennedy P. Working with physically disabled people. In: Hall J, Llewelyn S (eds). *What is Clinical Psychology?* 4th edn. Oxford University Press; 2006.

Kennedy P, Llewelyn S (eds). *Essentials of Clinical Health Psychology*. Chichester: John Wiley & Sons; 2006.

Kennedy P, Lude P, Taylor N. Quality of life, social participation, appraisals and coping post spinal cord injury: a review of four community samples. *Spinal Cord*. 2006; 44: 95-105.

Kennedy P, Taylor N, Hindson L. A pilot investigation of a psychosocial activity course for people with spinal cord injuries. *Psychology, Health and Medicine*. 2006; 11(1): 91-99.

Rose L. Pressure – effects and prevention. In: Bromley I (ed). *Tetraplegia and paraplegia: A Guide for Physiotherapists*. 6th edn. Edinburgh: Elsevier Churchill Livingstone; 2006.

Savic G, Bergstrom EM, Frankel HL, Jamous MA, Ellaway PH, Davey NJ. Perceptual threshold to cutaneous electrical stimulation in patients with spinal cord injury. *Spinal Cord*. 2006; 44(9): 560-6.

Sheppard R, Kennedy P, Mackey CA. Theory of Planned Behaviour, skin care and pressure sores following spinal cord injury. *Journal of Clinical Psychology in Medical Settings*. 2006; 13(4): 358-366.

Tasiemski T, Kennedy P, Gardner BP. Examining the continuity of recreation engagement in individuals with spinal cord injuries. *Therapeutic Recreation Journal*. 2006; 40(2): 77-93.

Thiyagarajan CA, Clarke M. A systematic review of technical evaluation in telemedicine systems. *Conf Proc IEEE Eng Med Biol Soc*. 2006; 1:6320-3. Review.

Woolrich RA, Kennedy P, Tasiemski T. A preliminary psychometric evaluation of the Hospital Anxiety and Depression Scale (HADS) in 963 people living with a spinal cord injury. *Psychology, Health and Medicine*. 2006; 11(1): 80-90.

2005

Coggrave M. Management of the neurogenic bowel. *British Journal of Neuroscience Nursing*. April 2005; 1(1).

Coggrave M. Managing a neurogenic bowel. *Charter Continence Care*. 2005; 3: 7–8.

Drake MJ, Cortina-Borja M, Savic G, Charlifue SW, Gardner BP. A prospective evaluation of urological effects of aging in chronic spinal cord injury by method of bladder management. *Neurourology and Urodynamics*. 2005; 24: 111-116.

Kennedy P, Hindson L, Taylor N. Retrospective evaluation of residential activity courses for people with spinal cord injury. *SCI Nursing*. 2005; 22(2): 72-78.

Kennedy P, Taylor NM, Duff J. Characteristics predicting effective outcomes after coping effectiveness training. *Journal of Clinical Psychology in Medical Settings*. 2005; 12(1): 93-98.

Lude P, Kennedy P, Evans M, Lude Y, Beedie A. Post traumatic distress symptoms following spinal cord injury: a comparative review of European samples. *Spinal Cord*. 2005; 43: 102-108.

Tasiemski T, Kennedy P, Gardner BP, Taylor N. The association of sports and physical recreation with life satisfaction in a community sample of people with spinal cord injuries. *Neurorehabilitation*. 2005; 20: 253-265.

2004

Belci M, Catley M, Husain M, Frankel HL, Davey NJ. Magnetic brain stimulation can improve clinical outcome in incomplete spinal cord injured patients. *Spinal Cord*. 2004; 42(7): 417-9.

Berry C, Kennedy P, Hindson L. Internal consistency and responsiveness of the Skin Management Needs Assessment Checklist (SMnac) in post spinal cord injuries. *Journal of Spinal Cord Medicine*. 2004; 27(1): 63-71.

Coggrave M. Effective bowel management for patients after spinal cord injury. *Nursing Times*. 2004; 100(20):48-51. Review.

Crawley MT, Murphy P, Jamous A, Bodley R. A low-dose radioisotope procedure for assessment of subcutaneous drug delivery systems used for slow intrathecal infusion of antispasmodic agents. *Spinal Cord*. 2004; 42(10): 581-4.

Duff J, Evans MJ, Kennedy P. Goal planning: a retrospective audit of rehabilitation process and outcome. *Clinical Rehabilitation*. 2004; 18: 275-286.

Ellaway PH, Anand P, Bergstrom EMK, Catley M, Davey NJ, Frankel HL, Jamous A, Mathias C, Nicotra A, Savic G, Short D, Theodorou S. Towards improved clinical and physiological assessments of recovery in spinal cord injury: a clinical initiative. *Spinal Cord*. 2004; 42(6): 325-37.

Elliott TR, Kennedy P. Treatment of depression following spinal cord injury: an evidence-based review. *Rehabilitation Psychology*. 2004; 49(2): 134-139.

Graham A, Kritah M, Hale G, Beedle A. A Good Death. *European Journal of Palliative Care*. 2004; 11(4).

Iles JF, Ali AS, Savic G. Vestibular-evoked muscle responses in patients with spinal cord injury. *Brain*. 2004 Jul; 127(7): 1584-92.

Khong S, Savic G, Gardner BP, Ashworth F. Hormone replacement therapy in women with spinal cord injury – a survey with literature review. *Spinal Cord*. 2004; 43(2): 67-73.

McCull MA, Charlifue S, Glass C, Lawson N, Savic G. Aging, gender, and spinal cord injury. *Arch Phys Med Rehabil*. 2004; 85(3): 363-7.

Tasiemski T, Kennedy P, Gardner B, Blaikley A. Athletic identity and sports participation in people with spinal cord injury. *Adapted Physical Activity Quarterly*. 2004; 21: 364-378.

Webster G, Hindson L. The adaptation of children to spinal cord injury of a family member: the individual's perspective. *SCI Nursing*. 2004; 21: 82-87.

2003

Abel R, Cerrel Bazo HA, Kluger PJ, Selmi F, Meiners T, Vaccaro A, Ditunno J, Gerner HJ. Management of degenerative changes and stenosis of the lumbar spinal canal secondary to cervical spinal cord injury. *Spinal Cord*. 2003 Apr; 41(4): 211-9.

Bergstrom EMK, Henderson NJ, Short DJ, Frankel HL, Jones PRM. The relation of thoracic and lumbar fracture configuration to the development of late deformity in childhood spinal cord injury. *Spine*. 2003; 28(2): 171-176.

Bergström EMK, Savic G, Short DJ, Williams SS. Predicting normal lung function in patients with childhood spinal cord injury. *Spinal Cord*. 2003; 41(6): 354-358.

Coggrave MJ, Rose LS. A specialist seating clinic: changing pressure relief practice. *Spinal Cord*. 2003; 41: 692-695.

Drake MJ, Gardner BP, Brading AF. Innervation of the detrusor muscle bundle in neurogenic detrusor overactivity. *BJU Int*. 2003 May; 91(7): 702-10.

Duff J, Kennedy P. Spinal Cord Injury. In: Llewelyn SP, Kennedy P (eds). *Handbook of Clinical Health Psychology*. Chichester: John Wiley and Sons; 2003. pp 251-278.

Kennedy P, Llewelyn SP. The Person's Experience of Healthcare. In: Llewelyn SP, Kennedy P (eds). *The Handbook of Clinical Health Psychology*. Chichester: John Wiley & Sons; 2003. pp. 21-40.

Kennedy P, Llewelyn SP. Convergence, Integration and Priorities. In: Llewelyn SP, Kennedy P (eds). *The Handbook of Clinical Health Psychology*. Chichester: John Wiley and Sons; 2003. pp. 563-568.

Kennedy P, Berry C, Coggrave M, Rose L and Hamilton L. The effect of a specialist seating assessment clinic on the skin management of individuals with spinal cord injury. *Journal of Tissue Viability*. 2003; 13(3): 122-125.

Kennedy P, Duff J, Evans M and Beedie A. Coping Effectiveness Training reduces depression and anxiety following traumatic spinal cord injuries. *British Journal of Clinical Psychology*. 2003; 42: 41-52.

Kennedy P, Evans MJ, Berry C, Mullin J. Comparative analysis of goal achievement during rehabilitation for older and younger adults with spinal cord injury. *Spinal Cord*. 2003; 41(1): 44-52.

Llewelyn SP, Kennedy P (eds). *The Handbook of Clinical Health Psychology*. Chichester: John Wiley & Sons; 2003.

Llewelyn SP, Kennedy P. Introduction and Overview. In: Llewelyn SP, Kennedy P (eds). *Handbook of Clinical Health Psychology*. Chichester: John Wiley and Sons; 2003. pp. 3-6.

McColl MA, Arnold R, Charlifue S, Glass C, Savic G, Frankel H. Aging, spinal cord injury, and quality of life: structural relationships. *Archives of Physical Medicine & Rehabilitation*. 2003; 84(8): 1137-44.

Saroha D, Bottrill I, Saif M, Gardner B. Is the nasal cycle ablated in patients with high spinal cord trauma? *Clin Otolaryngol Allied Sci*. 2003 Apr; 28(2): 142-5.

Savic G. ABC of Spinal Cord Injury. Book Review. *Spinal Cord*. 2003; 41: 57.

Wang D, Bergström E, Clarke M, Henderson N, Gardner B. Mobility of the spine after spinal surgery in acute spinal cord injury. *Spinal Cord*. 2003 Nov; 41(11): 593-9.

2002

Beedie A, Kennedy P. Quality of social support prevents hopelessness and depression. *Journal of Clinical Psychology in Medical Settings*. 2002; 9(3): 227-234.

Berry C, Kennedy P. A psychometric analysis of the Needs Assessment Checklist (NAC). *Spinal Cord*. 2002; (41): 490-501.

Cariga P, Ahmed S, Mathias CJ, Gardner BP. The prevalence and association of neck (coat-hanger) pain and orthostatic (postural) hypotension in human spinal cord injury. *Spinal Cord*. 2002 Feb; 40(2): 77-82.

Cariga P, Catley M, Mathias CJ, Savic G, Frankel HL, Ellaway PH. Organisation of the sympathetic skin response in spinal cord injury. *Journal of Neurology, Neurosurgery & Psychiatry*. 2002; 72(3): 356-60.

Cariga P, Catley M, Nowicky AV, Savic G, Ellaway PH, Davey NJ. Segmental recording of cortical motor evoked potentials from thoracic paravertebral myotomes in complete spinal cord injury. *Spine*. 2002; 27(13): 1438-43.

Coggrave M, West H, Leonard B. Topical Negative Pressure for pressure ulcer management. *British Journal of Nursing*. 2002; 11(6 Suppl): S29-36.

Derry F, Hultling C, Seftel AD, Sipski ML. Efficacy and safety of sildenafil citrate (Viagra) in men with erectile dysfunction and spinal cord injury: a review. *Urology*. 2002 Sep; 60(2 Suppl 2): 49-57. Review.

Hill L, Kennedy P. The role of coping strategies in mediating subjective disability in people who have psoriasis. *Psychology Health and Medicine*. 2002; 7: 261-269.

Kuesgen B, Frankel HL, Anand P. Decreased cutaneous axon-reflex vasodilatation below the lesion in patients with complete spinal cord injury. *Somatosensory & Motor Research*. 2002; 19(2): 149-152.

Ioannides AA, Liu L, Khurshudyan A, Bodley R, Poghosyan V, Shibata T, Dammers J, Jamous MA. Brain activation sequences following electrical limb stimulation of normal and paraplegic subjects. *Neuroimage*. 2002; 16(1): 115-29.

McCull MA, Charlifue S, Glass C, Meehan M, Savic G. International differences in aging and spinal cord injury. *Spinal Cord*. 2002; 40: 128-136.

Rose LS, Ferguson-Pell M. Wheelchair provision to people with spinal cord injury – part 2. *British journal of Therapy and rehabilitation*. 2002; 9(10): S9-S14.

Rose LS, Ferguson-Pell M. Wheelchair provision to people with spinal cord injury – part 1. *British journal of Therapy and rehabilitation*. 2002; 9(10): 391-400.

Savic G. 41st Annual scientific meeting of the ISCoS (former IMSoP) and 28th annual scientific meeting of the ASIA, Vancouver, BC, Canada, 3-6 May 2002. Conference Report. *Spinal Cord*. 2002; 40: 626.

Selmi F, Frankel HL, Kumaraguru AP, Apostopoulos V. Charcot joint of the spine, a cause of autonomic dysreflexia in spinal cord injured patients. *Spinal Cord*. 2002; 40(9): 481-3.

2001

Coggrave M. Care of the ventilator dependent spinal cord injured patient. *British Journal of Therapy and Rehabilitation*. 2001; 8: 4

Groah SL, Weitzenkamp D, Sett P, Soni P, Savic G. The relationship between neurological level of injury and symptomatic cardiovascular disease risk in the ageing spinal injured. *Spinal Cord*. 2001; 39: 310-317.

Kennedy P, Hopwood M, Duff J. Chapter 7: Psychological management of chronic illness and disability. In: Milgrom J, Burrows DG (Eds). *Psychology and Psychiatry: Integrating Medical Practice*. Chichester: John Wiley & Sons; 2001.

Kennedy P, Evans ME. Evaluation of post traumatic distress in the first 6 months following spinal cord injury. *Spinal Cord*. 2001; 39: 381-386.

Kennedy P, Duff J. Post traumatic stress disorder and spinal cord injuries – a review. *Spinal Cord*. 2001; 39: 1-10.

Kennedy P, Llewelyn S. Does the future belong to the scientist practitioner? *The Psychologist*. 2001; 14(2): 74-78.

Tarzi S, Kennedy P, Stone S, Evans M. MRSA: psychological impact of hospitalisation and isolation in an older adult population. *Journal of Hospital Infection*. 2001; 49: 250-254.

Wang D, Teddy PJ, Henderson NJ, Shine BS, Gardner BP. Mobilization of patients after spinal surgery for acute spinal cord injury. *Spine*. 2001 Oct 15; 26(20): 2278-82.

2000

Drake MJ, Hedlund P, Mills IW, McCoy R, McMurray G, Gardner BP, Andersson KE, Brading AF. Structural and functional denervation of human detrusor after spinal cord injury. *Lab Invest*. 2000 Oct; 80(10): 1491-9.

Kennedy P, Marsh N, Lowe R, Grey N, Short E and Rogers B. A longitudinal analysis of psychological impact and coping strategies following spinal cord injury. *British Journal of Health Psychology*. 2000; 5: 157-172.

Kennedy P and Rogers B. Anxiety and depression after spinal cord injury: a longitudinal analysis. *Archives of Physical Medicine and Rehabilitation*. 2000; 81: 932-937.

Kennedy P, Rogers B. Reported quality of life of people with spinal cord injuries: a longitudinal analysis of the first 6 months post-discharge. *Spinal Cord*. 2000; 38: 498-503.

Rogers B, Kennedy P. A qualitative analysis of reported coping in a community sample of people with spinal cord injuries. *Psychosocial Process*. 2000; 13(2): 1, 44-49, 63.

Savic G, Short DJ, Weitzenkamp D, Charlifue S, Gardner BP. Hospital readmissions in people with chronic spinal cord injury. *Spinal Cord*. 2000; 38: 371-377.

Smith HC, Davey NJ, Savic G, Maskill DW, Ellaway PH, Jamous MA, Frankel HL. Modulation of single motor unit discharges using magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury. *Journal of Neurology, Neurosurgery and Psychiatry*. 2000; 68: 516-520.

Smith HC, Savic G, Frankel HL, Ellaway PH, Maskill DW, Jamous MA, Davey NJ. Corticospinal function studied over time following incomplete spinal cord injury. *Spinal Cord*. 2000; 38: 292-300.

Tasiemski T, Bergstrom EKM, Savic G, Gardner BP. Sport, recreation and employment following spinal cord injury - a pilot study. *Spinal Cord*. 2000; 38: 173-184.

Weitzenkamp DA, Gerhart KA, Charlifue SW, Whiteneck GG, Glass CA, Kennedy P. Ranking the criteria for assessing quality of life after disability: Evidence for priority shifting among long-term spinal cord injury survivors. *British Journal of Health Psychology*. 2000; 5: 57-69.

Zermann D, Wunderlich H, Derry F, Schröder S, Schubert J. Audit of early bladder management complications after spinal cord injury in first-treating hospitals. *Eur Urol*. 2000 Feb; 37(2): 156-60.

1999

Bergstrom EM, Short DJ, Frankel HL, Henderson NJ, Jones PR. The effect of childhood spinal cord injury on skeletal development: a retrospective study. *Spinal Cord*. 1999; 37(12): 838-46.

Davey NJ, Smith HC, Savic G, Maskill DW, Ellaway PH, Frankel HF. Comparison of input-output patterns in the corticospinal system of normal subjects and incomplete spinal cord injured patients. *Experimental Brain Research*. 1999; 127: 382-390.

Duff J, Kennedy P, Swalwell E. Clinical audit of physical rehabilitation: patients' views of goal planning. *Clinical Psychology Forum*. 1999; 129: 34-38.

Gerhart KA, Weitzenkamp DA, Kennedy P, Glass CA, Charlifue SW. Correlates of stress in long-term spinal cord injury. *Spinal Cord*. 1999; 37: 183-190.

Graham A. Delayed primary closure in the management of gun shot wounds. *Journal of Wound Care*. 1999; 8: 145-148.

Kennedy P. Working with physically disabled people. In: Hall J, Marzillier J (eds). *What is Clinical Psychology?* 3rd edn. Oxford University Press; 1999.

Kennedy P. Commentary on "Personality traits and coping styles associated with depression in spinal cord injuries". *Evidence-based Mental Health*. 1999; 2: 58.

Kennedy P, Hamilton LR. The needs assessment checklist: a clinical approach to measuring outcome. *Spinal Cord*. 1999; 37: 136-139.

Kennedy P, Rogers B, Speer S and Frankel H. Spinal cord injuries and attempted suicide: a retrospective review. *Spinal Cord*. 1999; 37: 847-852.

King C, Kennedy P. Coping effectiveness training for people with spinal cord injury: Preliminary results of a controlled trial. *British Journal of Clinical Psychology*. 1999; 38: 5-14.

Maytom MC, Derry FA, Dinsmore WW, Glass CA, Smith MD, Orr M, Osterloh IH. A two-part pilot study of sildenafil (VIAGRA) in men with erectile dysfunction caused by spinal cord injury. *Spinal Cord*. 1999 Feb; 37(2): 110-6.

Nielsen OA, Biering-Sorensen F, Bötzel U, Gardner BP, Little J, Ohta H, Shrosbree R, Melwill R. Post-traumatic syringomyelia. *Spinal Cord*. 1999 Oct; 37(10): 680-4.

Savic G, Frankel HL. Prognosis and recovery in ischaemic and traumatic spinal cord injury. Editorial commentary. *Journal of Neurology, Neurosurgery and Psychiatry*. 1999; 67: 564-565.

Smith HC, Davey NJ, Savic G, Maskill DW, Ellaway PH, Frankel HL. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury. *Experimental Physiology*. 1999; 84: 1151-1160.

1998

Bromley I, Bergström EMK. Spinal cord injury in children. In: Bromley I (ed). *Tetraplegia: A Guide for Physiotherapists*. 5th edn. Edinburgh: Churchill Livingstone; 1998.

Bromley I, Brownlee S, Lone R. Respiratory therapy. In: Bromley I (ed). *Tetraplegia: A Guide for Physiotherapists*. 5th edn. Edinburgh: Churchill Livingstone; 1998.

Coll JR, Frankel HL, Charlifue SW, Whiteneck GG. Evaluating neurological group homogeneity in assessing the mortality risk for people with spinal cord injuries. *Spinal Cord*. 1998; 36(4): 275-9.

Davey NJ, Smith HC, Wells E, Maskill DW, Savic G, Ellaway PH, Frankel HL. Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury. *Journal of Neurology, Neurosurgery & Psychiatry*. 1998; 65(1): 80-7.

Derry F, al-Rubeyi S. Audit of bladder neck resection in spinal cord injured patients. *Spinal Cord*. 1998 May; 36(5): 345-8.

Derry FA, Dinsmore WW, Fraser M, Gardner BP, Glass CA, Maytom MC, Smith MD. Efficacy and safety of oral sildenafil (Viagra) in men with erectile dysfunction caused by spinal cord injury. *Neurology*. 1998 Dec; 51(6): 1629-33.

Frankel HL. Outcomes in spinal cord injuries. In: Swash M (ed). *Outcomes in Neurological and Surgical disorders*. Cambridge University Press; 1998. pp. 181-194.

Frankel HL, Coll JR, Charlifue SW, Whiteneck GG, Gardner BP, Jamous MA, Krishnan KR, Nuseibeh I, Savic G, Sett P. Long-term survival in spinal cord injury: a fifty year investigation. *Spinal Cord*. 1998; 36: 266-274.

Gorman C, Kennedy P and Hamilton L. Psychological aspects and self-perception in spinal cord injured people: a retrospective study. *Spinal Cord*. 1998; 36: 181-185.

Graham A. The use of growth factors in clinical practice. Part 2. *Journal of Wound Care*. 1998; 7(10): 536-540.

Graham A. The use of growth factors in clinical practice. Part 1. *Journal of Wound Care*. 1998; 7(9): 464-6.

Graham A, Savic G, Gardner B. Cervical and breast cancer screening in wheelchair dependent females. *Spinal Cord*. 1998; 36: 340-344.

Johnston M and Kennedy P. Special Issue on Clinical Health Psychology in Chronic Conditions. Editorial. *Clinical Psychology and Psychotherapy*. 1998; 5(2): 59-61.

Kennedy P. Spinal Cord Injuries. In: Bellack A, Hersen M. (eds). *Comprehensive Clinical Psychology*. Volume 8. Johnston DW, Johnston M, (volume eds). Amsterdam: Pergamon Press; 1998.

Puri BK, Smith HC, Cox IJ, Sargentoni J, Savic G, Maskill DW, Frankel HL, Ellaway PH, Davey NJ. The human motor cortex following incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy. *Journal of Neurology, Neurosurgery and Psychiatry*. 1998; 65: 748-754.

1997

Baliga RR, Catz AB, Watson LD, Short DJ, Frankel HL, Mathias CJ. Cardiovascular and hormonal responses to food ingestion in humans with spinal cord transection. *Clinical Autonomic Research*. 1997; 7(3): 137-41.

Biering-Sørensen F, Sørensen JL, Barros TE, Monteiro AA, Nuseibeh I, Shenaq SM, Shibasaki K. Pressure ulcer treatment. *Spinal Cord*. 1997 Oct; 35(10): 641-6.

Burr RG, Nuseibeh IM. Urinary catheter blockage depends on urine pH, calcium and rate of flow. *Spinal Cord*. 1997 Aug; 5(8): 21-5.

Derry F, Fellows G, Frankel HL. Methicillin-resistant *Staphylococcus aureus* cleared using a spiral thermoexpandable urethral stent. *British Journal of Urology*. 1997; 80(4): 683-4.

Donovan WH, Brown DJ, Ditunno JF Jr, Dollfus P, Frankel HL. Neurological issues. *Spinal Cord*. 1997; 35(5): 275-81.

Glass CA, Derry F, Dinsmore WW, Fraser M, Gardner B, Maytom M, Orr M, Osterloh I, Smith M. Sildenafil: an oral treatment for men with erectile dysfunction caused by traumatic spinal cord injury - A double blind, placebo controlled, two way crossover study using Rigiscan. *Journal of Spinal Cord Medicine*. 1997; 20 (1):145.

Graham A. The development of pressure sores in patients with spinal cord injury. *Journal of Wound Care*. 1997; 6(8): 393-5.

Grey N, Kennedy P. High pressure areas. *Nursing Times*. 1997; 93: 26-34.

Hamilton L, Kennedy P. Psychological impact of the management of methicillin-resistant staphylococcus aureus (MRSA). *Spinal Cord*. 1997; 37: 617-620.

Kennedy P. Psychological aspects of spinal cord injuries. In: Weinman J (ed). *The Cambridge Handbook of Psychology, Health and Medicine*. Cambridge University Press; 1997.

Kennedy P, Frankel HL, Gardner B, Nuseibeh I. Factors associated with acute and chronic pain following traumatic spinal cord injuries. *Spinal Cord*. 1997; 35(12): 814-7.

Menter R, Weitzenkamp D, Cooper D, Bingley JD, Charlifue S and Whiteneck G. Bowel management outcomes in individuals with long term spinal cord injuries. *Spinal Cord*. 1997; 35(9): 608-612.

Weitzenkamp DA, Gerhart KA, Charlifue SW, Whiteneck GG, Savic G. Spouses of spinal cord injury survivors: the added impact of caregiving. *Archives of Physical Medicine and Rehabilitation*. 1997; 78(8): 822-827.

1996

Haas BM, Bergstrom E, Jamous A, Bennie A. The inter rater reliability of the original and of the modified Ashworth scale for the assessment of spasticity in patients with spinal cord injury. *Spinal Cord*. 1996; 34: 560-564

Kennedy P, Henderson J, Gallagher S. Improving goal attainment with spinal cord injured patients. *Journal for the Association of Quality in Healthcare*. 1996; 3: 145-151.

Wang D, Bodley R, Sett P, Gardner B, Frankel HL. A clinical magnetic resonance imaging study of the traumatised spinal cord more than 20 years following injury. *Paraplegia*. 1996; 34(2): 65-81.

1995

Bain G, Bodley R, Jamous MA, Williams S and Silver J. A comparison of the chest radiograph and computerised tomography in assessing lung changes in acute spinal injuries - an assessment of their prevalence and the accuracy of the chest X-ray compared with CT in their assessment. *Paraplegia*. 1995; 33: 121-125.

Bogie KM, Nuseibeh I, Bader DL. Progressive changes in tissue viability in the seated spinal cord injured subject. *Paraplegia*. 1995; 33: 141-147.

Burr RG, Nuseibeh I. The blocking urinary catheter: the role of variation in urine flow. *Br J Urol*. 1995 Jul; 76(1): 61-5.

Derry F, Gardner B. Severe thoracic spinal fracture-dislocation: good neurological outcome without reduction. Case report. *Paraplegia*. 1995; 33(12): 734-6.

Gardner B, Jamous A, Teddy P, Bergstrom E, Wang D, Ravichandran G, Sutton R, Urquart S. Intrathecal baclofen- a multicentre clinical comparison of the Medtronic Programmable, Cordis Secor and Constant Infusion Infusaid drug delivery systems. *Paraplegia*. 1995; 33: 551-554.

Kennedy P, Gorsuch N and Marsh N. Childhood onset of spinal cord injury: self-esteem and self-perception. *British Journal of Clinical Psychology*. 1995; 34: 581-589.

Kennedy P, Lowe R, Grey N and Short E. Traumatic injury and psychological impact: a cross-sectional analyses of coping strategies. *British Journal of Clinical Psychology*. 1995; 34: 627-639.

Ravichandran G, Frankel HL. Management of spinal cord injuries. In: Harris NH, Birch R (eds). *Postgraduate Textbook of Clinical Orthopaedics*. Second edn. Oxford: Blackwell; 1995. pp 1129-1164.

Ray A, Savic G, Gardner B. Gastric volvulus - a complication of spinal cord omental transposition. *Paraplegia*. 1995; 33: 536-537.

Silver JR, Doggart JR, Burr RG. The reduced urinary output after spinal cord injury: a review. *Paraplegia*. 1995 Dec; 33(12): 721-5.

1994

Bergström EMK. *Childhood spinal cord lesion: its effect on skeletal development, growth and lung function – a retrospective study*. Masters Thesis for a Master of Philosophy at Loughborough University; 1994.

Frankel HL. Natural history and rehabilitation in spinal cord damage. In: Illis LS (ed). *Neurological Rehabilitation*. Second edn. Oxford: Blackwell Scientific Publications; 1994. pp 221-238.

Jamous MA. Management of Sexual Disability. In: Illis LS (ed). *Neurological Rehabilitation*. Second edn. Oxford: Blackwell Scientific Publications; 1994.

Jamous A, Kennedy P and Grey N. Psychological and emotional effects of the use of Baclofen: a preliminary study. *Paraplegia*. 1994; 32: 349-353.

Pick FC, Rose M, Wang D, Gardner BP, Gillett AP. The prevention of spread of methicillin resistant Staphylococcus aureus in a spinal injuries centre. *Paraplegia*. 1994 Nov; 32(11): 732-5.

Pandit JJ, Bergstrom E, Frankel HL, Robbins PA. Increased hypoxic ventilatory sensitivity during exercise in man: are neural afferents necessary? *Journal of Physiology*. 1994; 477(Pt 1): 169-75.

Sett P, Wang D, Fellows GJ, Gardner BP. Shared care of patients with a neuropathic bladder. *Br J Gen Pract*. 1994 Nov; 44(388): 532.

Silver JR, Stewart D. The prevention of spinal injuries in rugby football. *Paraplegia*. 1994 Jul; 32(7): 442-53.

1993

Burr RG, Chem C, Nuseibeh I. Creatinine, calcium, citrate and acid-base in spinal cord injured patients. *Paraplegia*. 1993; 31(11): 742-50.

Burr RG, Clift-Peace L, Nuseibeh I. Haemoglobin and albumin as predictors of length of stay of spinal injured patients in a rehabilitation centre. *Paraplegia*. 1993 Jul; 31(7): 473-8.

Burr RG, Nuseibeh IM. Blockage of indwelling urinary catheters: the roles of urinary composition, the catheter, medication and diet. *Paraplegia*. 1993; 31(4): 234-41.

Bodley R, Jamous A, Short D. Ultrasound in the early diagnosis of heterotopic ossification in patients with spinal injuries. *Paraplegia*. 1993; 31: 500-506.

Bodley R, Jamous A, Short D. L'échographie et le diagnostic de la para-osteo-arthropathie chez le médullaire. *J Readapt Med*. 1993; 13(3): 107-110.

Daud O, Sett P, Burr RG, Silver JR. The relationship of heterotopic ossification to passive movements in paraplegic patients. *Disabil Rehabil*. 1993 Jul-Sep; 15(3): 114-8.

Grey N, Kennedy, P. The Functional Independence Measure: a comparative study of clinical and self-ratings. *Paraplegia*. 1993; 31: 457-461.

Gerhart KA, Bergstrom E, Charlifue SW, Menter RR, Whiteneck GG. Long-term spinal cord injury: functional changes over time. *Arch Phys Med Rehabil.* 1993 Oct;74(10):1030-4.

Kennedy P. Opinion article: Burnout – can we risk ignoring it? *Journal of Nursing Management.* 1993; 1: 185-188.

Kennedy P, Pearce N. Goal planning, needs assessment and advocacy: new directions without insurrection. *Health Services Management.* 1993; 89(3): 18-20.

Kennedy P. The effectiveness of the use of humour in the rehabilitation of people with spinal cord injury. *Journal of the American Paraplegia Society.* 1993; 16: 215-219.

Mahale YJ, Silver JR, Henderson NJ. Neurological complications of the reduction of cervical spine dislocations. *J Bone Joint Surg Br.* 1993 May; 75(3): 403-9.

Pindzola RR, Doller C, Silver J. Putative inhibitory extracellular matrix molecules at the dorsal root entry zone of the spinal cord during development and after root and sciatic nerve lesions. *Dev Biol.* 1993 Mar; 156(1): 34-48.

Short DJ.

1992

Bergström EMK and Rose LS. Physical rehabilitation: principles and outcome. In: Vinken PJ, Bruyn GW, Klawans HL (eds). *Handbook of Clinical Neurology.* Vol 17 (61): Frankel HL (co-ed). *Spinal Cord Trauma.* Amsterdam, London, New York, Tokyo: Elsevier Science Publishers; 1992.

Bogie KM, Nuseibeh I, Bader DL. Transcutaneous gas tensions in the sacrum during the acute phase of spinal cord injury. *Proc Inst Mech Eng H.* 1992; 206(1): 1-6.

Glynn CJ, Jamous MA, Teddy PJ. Cerebrospinal fluid kinetics of epidural clonidine. *Pain.* 1992; 49: 361-367.

Jamous MA, Silver JR, Baker JHE. Paraplegia and traumatic rupture of the aorta: a disease process or surgical complication? *Injury.* 1992; 23 (7): 475-478.

Kennedy P. Health psychology input to clinical psychology training courses. *Clinical Psychology Forum.* 1992; 46: 7-10. and *Health Psychology Update.* 1992; 10: 23-27.

Kennedy P, Marteau T and Weinman J. Teaching and training in health psychology: a discussion document. *Health Psychology Update.* 1992; 10, 27-29.

Mahale YJ, Silver JR. Progressive paralysis after bilateral facet dislocation of the cervical spine. *J Bone Joint Surg Br.* 1992 Mar; 74(2): 219-23.

Mathias CJ, Frankel HL. The cardiovascular system in tetraplegia and paraplegia. In: Vinken PJ, Bruyn GW, Klawans HL (eds). *Handbook of Clinical Neurology.* Vol 17 (61): Spinal Cord

Trauma. Amsterdam, London, New York, Tokyo: Elsevier Science Publishers; 1992. pp 435-456.

Short DJ, Frankel HL & Bergstrom EMK. Injuries of the spinal cord in children. In: Vinken PJ, Bruyn GW, Klawans HL (eds). *Handbook of Clinical Neurology*. Vol 17 (61): Spinal Cord Trauma. Amsterdam, London, New York, Tokyo: Elsevier Science Publishers; 1992.

Silver JR, Jamous MA. Aortic injuries or diseases causing paraplegia. In: Vinken PJ, Bruyn GW, Klawans HL (eds). *Handbook of Clinical Neurolog*. Vol 17 (61): Spinal Cord Trauma. Amsterdam, London, New York, Tokyo: Elsevier Science Publishers; 1992. pp. 111-120.

Sutters M, Wakefield C, O'Neil K, Appleyard M, Frankel HL, Mathias CJ, Peart WS. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. *Journal of Physiology*. 1992; 457: 515-23.

Teddy P, Jamous A, Gardner B, Wang D, Silver J. Complications of intrathecal Baclofen delivery. *British Journal of Neurosurgery*. 1992; 6: 115-118.

Whiteneck GG, Charlifue SW, Frankel HL, Fraser MH, Gardner BP, Gerhart KA, Krishnan KR, Menter RR, Nuseibeh I, Short DJ, Silver JR. Mortality, morbidity, and psychosocial outcomes of persons spinal cord injured more than 20 years ago. *Paraplegia*. 1992; 30(9): 617-30.

1991

Kennedy P. Counselling people with spinal cord injuries. Chapter 8. In: Davies H, Fallowfield L (eds). *Counselling and Communication in Healthcare*. Chichester: John Wiley and Sons; 1991. pp. 129-145.

Kennedy P, Walker L, White D. Evaluation of goal planning and advocacy in a rehabilitative environment for spinal cord injured people. *Paraplegia*. 1991; 29: 197-205.

Kooner JS, Birch R, Frankel HL, Peart WS, Mathias CJ. Hemodynamic and neurohormonal effects of clonidine in patients with preganglionic and postganglionic sympathetic lesions. Evidence for a central sympatholytic action. *Circulation Research*. 1991; 84(1): 75-83.

Silver JR, Noori Z. Pulmonary embolism following anticoagulation therapy. *Int Disabil Stud*. 1991 Jan-Mar; 13(1): 16-9.

Silver JR, Randall WC, Guttmann L. Spinal mediation of thermally induced sweating. *J Neurol Neurosurg Psychiatry*. 1991 Apr; 54(4): 297-304.

Silver JR. Body composition and resting energy expenditure in long term spinal cord injury. *Paraplegia*. 1991 Sep; 29(7): 496-7.

1990

Armitage JM, Pyne A, Williams SJ, Frankel H. Respiratory problems of air travel in patients with spinal cord injuries. *BMJ*. 1990 Jun 9; 300(6738): 1498-9.

Burr RG, Nuseibeh I. Citrate excretion in spinal cord patients. *Paraplegia*. 1990 Oct; 28(8): 496-504.

1989

Fisher K, Nurse M, Kennedy P. Teaching nurses behavioural methods for pain management. *Behavioural Psychotherapy*. 1989; 17: 283-289.

Jamous MA. High-dose Methylprednisolone for malignant gliomas : Safety and side effects. In: Capildeo R (ed). *Steroids in Diseases of the Central Nervous System*. Chichester: John Wiley & Sons; 1989.

Jamous MA, Silver JR, Ohry A, Zeilig G. Spinal cord injury associated with blunt traumatic rupture of the diaphragm. *Injury*. 1989 May; 20(3): 149-51.

Kennedy P. Psychological approaches in the management of spinal cord injuries. *Holistic Medicine*. 1989; 4: 169-176.

Kennedy P, Saxby P. Developing clinical health psychology services at the National Spinal Injuries Centre. *Health Psychology Update*. 1989; 3: 5-12.

Mathias CJ, Luckitt J, Desai P, Baker H, El Masri W, Frankel HL. Pharmacodynamics and pharmacokinetics of the oral antispastic agent tizanidine in patients with spinal cord injury. *Journal of Rehabilitation Research & Development*. 1989; 26(4): 9-16.

Ochs G, Struppler A, Meyerson BA, Linderoth B, Gybels J, Gardner BP, Teddy P, Jamous A, Weinmann P. Intrathecal baclofen for long-term treatment of spasticity: a multi-centre study. *Journal of Neurology, Neurosurgery and Psychiatry*. 1989; 52(8): 933-9.

1988

Armitage JM, Pyne A, Williams SJ, Frankel HL. Respiratory problems of air travel in patients with spinal cord injuries. *BMJ*. 1988; 300(6738): 1498-9.

Gray J.A., Nishikawa H., Jamous M.A. and Graham-Smith D.G. Spinal cord compression due to carcinoid metastasis. *Post Graduate Medical Journal*. 1988; 64: 703-705,

Kennedy P. Clinical services for spinal cord injured people. *Clinical Psychology Forum*. 1988; 15: 16-18.

Kennedy P, Fisher K and Pearson E. Ecological evaluation of a rehabilitative environment for spinal cord injured people: behavioural mapping and feedback. *British Journal of Clinical Psychology*. 1988; 27: 239-246.

Kooner JS, Frankel HL, Mirando N, Peart WS, Mathias CJ. Haemodynamic, hormonal and urinary responses to postural change in tetraplegic and paraplegic man. *Paraplegia*. 1988; 26(4): 233-7.

Kooner JS, Edge W, Frankel HL, Peart WS, Mathias CJ. Haemodynamic actions of clonidine in tetraplegia - effects at rest and during urinary bladder stimulation. *Paraplegia*. 1988; 26(3): 200-3.

Kooner JS, Stone F, Birch R, Frankel HL, Peart WS, Mathias CJ. Vascular effects of clonidine in patients with tetraplegia and unilateral brachial plexus injury. *Clinical & Experimental Hypertension - Part A, Theory & Practice*. 1988; 10 Suppl 1: 405-12.

Mathias CJ, Frankel HL. Cardiovascular control in spinal man. [Review]. *Annual Review of Physiology*. 1988; 50: 577-92.

Ochs G, Struppler A, Meyerson BA, Linderoth B, Gybel SJ, Gardner BP, Teddy P, Jamous A, Weinman P. Intrathecal baclofen for long term treatment of spasticity. A multicentre study. *Journal of Neurology, Neurosurgery and Psychiatry*. 1988; 52: 933-939.

Short D, Jamous MA. Brain abscess complicating cervical traction. *British Medical Journal*. 1988; 297: 853 (letter).

Silver JR. Rugby and neck injuries. *Injury*. 1988 Jul; 19(4): 298.

1987

Baker JH, Silver JR. Hysterical paraplegia. *J Neurol Neurosurg Psychiatry*. 1987 Apr; 50(4): 375-82.

Frankel HL, El Masri WS, Ravichandran G. Non-Operative treatment – Rehabilitation and Outcome. In: Harris P (ed). *Advances in Neurotraumatology*. Vol 2. Thoracic and lumbar spine and spinal cord injuries. Vienna: Springer Verlag; 1987.

Frankel HL. Spinal cord injury units. *Paraplegia*. 1987; 25(3): 239-40.

Glynn C.J., Jamous M.A., Dawson D., Sandersm R., Teddy P.J., Moore R.A. and Lloyd J.W. The role of epidural clonidine in the treatment of patients with intractable pain. *Pain*. 1987; 4: S45.

Rose L, Geary M, Jackson J, Morgan M. The effect of lung volume expansion in tetraplegia. *Physiotherapy Practice*. 1987; 3: 163-167.

Silver JR. Spinal cord injury in 44 patients with cervical spondylosis. *Paraplegia*. 1987 Oct; 25(5): 431-4.

McMillan BS, Silver JR. Extension injuries of the cervical spine resulting in tetraplegia. *Injury*. 1987 Jul; 18(4): 224-33.

Poole CJ, Williams TD, Lightman SL, Frankel HL. Neuroendocrine control of vasopressin secretion and its effect on blood pressure in subjects with spinal cord transection. *Brain*. 1987; 110(3): 727-35.

Silver JR. Spinal injuries as a result of sporting accidents. *Paraplegia*. 1987 Feb; 25(1): 16-7.

1986

Goldman JM, Rose LS, Williams SJ, Silver JR, Denison DM. The effect of abdominal binders on breathing in tetraplegic patients. *Thorax*. 1986; 41(12): 940-945.

Goldman JM, Rose LS, Morgan MD, Denison DM. Measurement of abdominal wall compliance in normal subjects and tetraplegic patients. *Thorax*. 1986 Jul; 41(7): 513-8.

Glynn CJ, Jamous MA, Teddy PJ, Moore RA, Lloyd JW. Role of spinal noradrenergic system in transmission of pain in patients with spinal injury. *The Lancet*. 1986; 2: 1249-1250.

Jamous MA, Hand CW, Moore RA, Teddy PJ, McQuay HJ. Epinephrine reduces systemic absorption of extradural Diacetylmorphine. *Anesthesia and Analgesia*. 1986; 65: 1290-1294.

Unwin RJ, Mathias CJ, Peart WS, Frankel HL. Renal vascular responses to saralasin in conscious chemically denervated rabbits and patients with tetraplegia. *Clinical & Experimental Hypertension - Part A, Theory & Practice*. 1986; 8(6): 919-39.

Walters K, Silver JR. Gastrointestinal bleeding in patients with acute spinal injuries. *Int Rehabil Med*. 1986; 8(1): 44-7.

1985

Bergstrom EM, Frankel HL, Galer IA, Haycock EL, Jones PR, Rose LS. Physical ability in relation to anthropometric measurements in persons with complete spinal cord lesion below the sixth cervical segment. *International Rehabilitation Medicine*. 1985; 7(2): 51-5.

Burr RG, Nuseibeh I. Biochemical studies in paraplegic renal stone patients. 1. Plasma biochemistry and urinary calcium and saturation. *Br J Urol*. 1985 Jun; 57(3): 269-74.

Burr RG, Nuseibeh I, Abiaka CD. Biochemical studies in paraplegic renal stone patients. 2. Urinary excretion of citrate, inorganic pyrophosphate, silicate and urate. *Br J Urol*. 1985 Jun; 57(3): 275-8.

Walters K, Silver JR. Gastrointestinal bleeding in patients with acute spinal injuries. *Int Rehabil Med*. 1986; 8(1): 44-7.

1984

Adams L, Frankel H, Garlick J, Guz A, Murphy K, Semple SJ. The role of spinal cord transmission in the ventilatory response to exercise in man. *Journal of Physiology*. 1984; 355: 85-97.

Mathias CJ, Unwin RJ, Pike FA, Frankel HL, Sever PS, Peart WS. The immediate pressor response to saralasin in man: evidence against sympathetic activation and for intrinsic angiotensin II-like myotropism. *Clinical Science*. 1984; 66(5): 517-24.

Ohry A, Frankel HL. Rehabilitation after spinal cord injuries complicated by previous lesions. *Paraplegia*. 1984; 22(5): 291-6.

Thiyagarajan C, Silver JR. Aetiology of pressure sores in patients with spinal cord injury. *Br Med J (Clin Res Ed)*. 1984 Dec 1; 289(6457): 1487-90.

Silver JR. Injuries of the spine sustained in rugby. *Br Med J (Clin Res Ed)*. 1984 Jan 7; 288(6410): 37-43.

1983

Adams CBT, Jamous MA. The operative treatment of giant aneurysms. Proceedings of the Society of British Neurological Surgeons. *Journal of Neurology, Neurosurgery and Psychiatry*. 1983; 46: 368-374.

Burr RG, Nuseibeh I. The effect of oral acetohydroxamic acid on urinary saturation in stone-forming spinal cord patients. *Br J Urol*. 1983 Apr; 55(2): 162-5.

El Masri WS, Silver JR. Traumatic spondyloptosis of the dorsal spine with incomplete neurological deficit. *Injury*. 1983 Jul; 15(1): 35-7.

Grundy DJ, Silver JR. Combined brachial plexus and spinal cord trauma. *Injury*. 1983 Jul; 15(1): 57-61.

Grundy DJ, Fellows GJ, Gillett AP, Nuseibeh I, Silver JR. A comparison of fine-bore suprapubic and an intermittent urethral catheterisation regime after spinal cord injury. *Paraplegia*. 1983 Aug; 21(4): 227-32.

Mathias CJ, Frankel HL. Clinical manifestations of malfunctioning sympathetic mechanisms in tetraplegia. *Journal of the Autonomic Nervous System*. 1983; 7(3-4): 303-12.

Mathias CJ, Naik RB, Warren DJ, Frankel HL. Autonomic neuropathy [letter]. *Archives of Internal Medicine*. 1983 Aug; 143(8): 1635.

Silver JR. Immediate management of spinal injury. *Br J Hosp Med*. 1983 May; 29(5): 412, 414, 417 passim.

Vernon JD, Silver JR, Symon L. Post-traumatic syringomyelia: the results of surgery. *Paraplegia*. 1983 Feb; 21(1): 37-46.

1982

El Masri WE, Cochrane P, Silver JR. Gastrointestinal bleeding in patients with acute spinal injuries. *Injury*. 1982 Sep; 4(2): 62-7.

Minaire P, Price M, Almagro P, Ravichandran G, Silver JR, Nuseibeh I, Burr RG. General discussion on papers: Life expectancy following spinal cord injury. *Paraplegia*. 1982 Oct; 20(5): 277-9.

Nuseibeh I, Burr RG. Survival time in paraplegics with certain urinary complications. *Paraplegia*. 1982 Oct; 20(5): 270-6.

Ravichandran G, Silver JR. Survival following traumatic tetraplegia. *Paraplegia*. 1982 Oct; 20(5): 264-9.

Ravichandran G, Silver JR. Missed injuries of the spinal cord. *Br Med J (Clin Res Ed)*. 1982 Mar 27; 284(6320): 953-6.

Vernon JD, Silver JR, Ohry A. Post-traumatic syringomyelia. *Paraplegia*. 1982 Dec; 20(6): 339-64.

1981

Burr RG, Nuseibeh I. Diuresis and urinary saturation in patients with neurogenic bladder. *Invest Urol*. 1981 Mar; 18(5): 331-3.

Burr RG, Nuseibeh I. Clinical and experimental studies with oral aluminium hydroxide. *Paraplegia*. 1981; 19(3): 178-85.

Burr RG. Calculosis in paraplegia. *Int Rehabil Med*. 1981; 3(3): 162-7.

- El Masri WS, Silver JR. Prophylactic anticoagulant therapy in patients with spinal cord injury. *Paraplegia*. 1981; 19(6): 334-42.
- Grundy DJ, Silver JR. Problems in the management of combined brachial plexus and spinal cord injuries. *Int Rehabil Med*. 1981; 3(2): 57-70.
- Mathias CJ, Frankel HL, Davies IB, James VH, Peart WS. Renin and aldosterone release during sympathetic stimulation in tetraplegia. *Clinical Science*. 1981; 60(4): 399-404.
- Ohry A, Vernon JD, Silver J. [Post-traumatic syringomyelia]. *Harefuah*. 1981 Apr 1; 100(7): 340-1. Hebrew.
- Ravichandran G, Frankel HL. Paraplegia due to intervertebral disc lesions: a review of 57 operated cases. *Paraplegia*. 1981; 19(3): 133-9.
- Silver JR, Lehr RP. Electromyographic investigation of the diaphragm and intercostal muscles in tetraplegics. *J Neurol Neurosurg Psychiatry*. 1981 Sep; 44(9): 837-41.
- Teddy PJ, Adams CBT, Briggs M, Jamous MA, Kerr JH. Extradural Diamorphine in the control of pain following lumbar laminectomy. *Journal of Neurology, Neurosurgery and Psychiatry*. 1981; 44: 1074-1078.

1980

- Frankel HL, Mathias CJ. Severe hypertension in patients with high spinal cord lesions undergoing electro-ejaculation management with prostaglandin E2. *Paraplegia*. 1980; 18(5): 293-9.
- Frankel HL, Montero FA, Penny PT. Spinal cord injuries due to diving. *Paraplegia*. 1980; 18(2): 118-22.
- Mathias CJ, Christensen NJ, Frankel HL, Peart WS. Renin release during head-up tilt occurs independently of sympathetic nervous activity in tetraplegic man. *Clinical Science*. 1980; 59(4): 251-6.
- Sedgwick EM, El-Negamy E, Frankel HL. Spinal cord potentials in traumatic paraplegia and quadriplegia. *Journal of Neurology, Neurosurgery & Psychiatry*. 1980; 43(9): 823-30.

1979

- Frankel HL, Mathias CJ. Cardiovascular aspects of autonomic dysreflexia since Guttman and Whitteridge (1947). *Paraplegia*. 1979; 17(1): 46-51.
- Guttman L. Foreword to the first edition of the Journal of Paraplegia: volume I- number I- April 1963: Ludwig Guttman. *Paraplegia*. 1979 May; 17(1): 18.
- Guttman L. New hope for spinal sufferers: Ludwig Guttman. Reproduced from Medical Times, November 1945. *Paraplegia*. 1979 May; 17(1): 6-15.

Mathias CJ, Reid JL, Wing LM, Frankel HL, Christensen NJ. Antihypertensive effects of clonidine in tetraplegic subjects devoid of central sympathetic control. *Clinical Science*. 1979 Dec; 57 Suppl 5: 425s-428s.

Mathias CJ, Frankel HL, Turner RC, Christensen NJ. Physiological responses to insulin hypoglycaemia in spinal man. *Paraplegia*. 1979 Sep; 17(3): 319-26.

Mathias CJ, Christensen NJ, Frankel HL, Spalding JM. Cardiovascular control in recently injured tetraplegics in spinal shock. *Quarterly Journal of Medicine*. 1979; 48(190): 273-87.

Nuseibeh I, Burr RG. The effects of varying water intake and of other measures on the relative saturation of stone forming salts in the urine of spinal cord patients. *Paraplegia*. 1979 Sep; 17(3): 363-70.

1978

Burr RG. A relationship between the composition of the urine and that of urinary tract calculi in spinal patients. *Paraplegia*. 1978 May; 16(1): 68-73.

Burr RG. Urinary calculi composition in patients with spinal cord lesions. *Arch Phys Med Rehabil*. 1978 Feb; 59(2): 84-8.

Guttmann L. Total responsibility of the surgeon in the rehabilitation of the spinal paralyzed and other severely disabled. *Proc Virchow Pirquet Med Soc*. 1978 Dec; 32: 23-31

Guttmann L. Total responsibility of the surgeon in the management of traumatic spinal paraplegics and tetraplegics. *Paraplegia*. 1978 Feb; 15(4): 285-92.

1977

Frankel HL. Paraplegia due to decompression sickness. *Paraplegia*. 1977; 14(4): 306-11.

Guttmann L. On health deviation and rehabilitation in spinal paraplegia and tetraplegia. *Community Health (Bristol)*. 1977 May; 8(4): 186-209.

Fellows GJ, Nuseibeh I, Walsh JJ. Choice of operation to promote micturition after spinal cord injury. *Br J Urol*. 1977; 49(7): 721-4.

Reid JL, Wing LM, Mathias CJ, Frankel HL, Neill E. The central hypotensive effect of clonidine. Studies in tetraplegic subjects. *Clinical Pharmacology & Therapeutics*. 1977; 21(4): 375-81.

1976

Burr RG. The determination of silicates in urinary calculi. *Clin Chim Acta*. 1976 Jun 1; 69(2): 259-65.

Christensen NJ, Mathias CJ, Frankel HL. Plasma and urinary dopamine: studies during fasting and exercise and in tetraplegic man. *European Journal of Clinical Investigation*. 1976; 6(5): 403-9.

Guttmann L. Reflection on the 1976 Toronto Olympiad for the physically disabled. *Paraplegia*. 1976 Nov; 14(3): 225-40.

Mathias CJ, Frankel HL, Christensen NJ, Spalding JM. Enhanced pressor response to noradrenaline in patients with cervical spinal cord transection. *Brain*. 1976 Dec; 99(4): 757-70.

Mathias CJ, Christensen NJ, Corbett JL, Frankel HL, Spalding JM. Plasma catecholamines during paroxysmal neurogenic hypertension in quadriplegic man. *Circulation Research*. 1976; 39(2): 204-8.

Mathias CJ, Smith AD, Frankel HL, Spalding JM. Dopamine beta-hydroxylase release during hypertension from sympathetic nervous overactivity in man. *Cardiovascular Research*. 1976; 10(2): 176-81.

Walsh JJ. The spinal cord disabled. *Nurs Mirror Midwives J*. 1976 Feb 5; 142(5): 53.

1975

Burr RG, Silver JR. The effect of an antibacterial drug on urinary calcium, magnesium and phosphorus excretion in patients with neurogenic bladder. *Br J Urol*. 1975 Aug; 47(4): 425-32.

Christensen NJ, Frankel HL, Mathias CJ, Spalding JM. Proceedings: Enhanced pressor response to noradrenaline in human subjects with chronic sympathetic decentralization. *J Physiol*. 1975 Nov; 252(2): 39P-40P.

Christensen NJ, Neubauer B, Brandsborg O, Mathias CJ, Frankel HL. Letter: Dopamine and the peripheral autonomic nervous system. 215. *Lancet*. 1975 May 10; 1(7915): 1084-5.

Corbett JL, Debarge O, Frankel HL, Mathias CJ. Cardiovascular responses in tetraplegic man to muscle spasm, bladder percussion and head-up tilt. *Clinical & Experimental Pharmacology & Physiology*. 1975; Suppl 2: 189-93.

Frankel HL. Traumatic Paraplegia. *Nursing Mirror & Midwives Journal*. 1975; 141(19): 48-52.

Frankel HL. Aqualung diving for the paralysed. *Paraplegia*. 1975; 13(2): 128-32.

Frankel HL. Ethical considerations in treatment and research in spinal injuries. *Paraplegia*. 1975; 12(4): 242-5.

Frankel HL, Mathias CJ, Smith AD, Spalding JM. Release of dopamine beta-hydroxylase during sympathetic nervous activity in tetraplegic man. *Journal of Physiology*. 1975; 247(1): 38P-40P.

Frankel HL, Mathias CJ, Spalding JM. Mechanisms of reflex cardiac arrest in tetraplegic patients. *Lancet*. 1975; 2(7946): 1183-5.

Guttmann L. Sport and the spinal cord sufferer. *Nurs Mirror Midwives J*. 1975 Nov 6; 141(19): 64-5.

Mathias CJ, Christensen NJ, Corbett JL, Frankel HL, Goodwin TJ, Peart WS. Plasma catecholamines, plasma renin activity and plasma aldosterone in tetraplegic man, horizontal and tilted. *Clinical Science & Molecular Medicine*. 1975; 49(4): 291-9.

Mathias CJ, Frankel HL, Christensen NJ, Spalding JM. Enhanced pressor response to noradrenaline in patients with cervical spinal cord transection. *Brain*. 1975; 99(4): 757-70.

Silver JR. Sexual problems in disorders of the nervous system. I. Anatomical and physiological aspects. *Br Med J*. 1975 Aug 23; 3(5981): 480-2.

Silver JR, Owens E. Sexual problems in disorders of the nervous system. II. Psychological reactions. *Br Med J*. 1975 Aug 30; 3(5982): 532-4.

Welpley NC, Mathias CJ, Frankel HL. Circulatory reflexes in tetraplegics during artificial ventilation and general anaesthesia. *Paraplegia*. 1975; 13(3): 172-82.

1974

Burr RG, Walsh JJ. Urinary calcium and kidney stones in paraplegia. Report of an attempted prospective study. *Paraplegia*. 1974 May; 12(1): 38-43.

Christensen NJ, Frankel HL, Mathias CJ, Spalding JM. Enhanced pressor response to noradrenaline in human subjects with chronic sympathetic decentralization. *Journal of Physiology*. 1974; 252(2): 39P-40P.

Debauge O, Christensen NJ, Corbett JL, Eidelman BH, Frankel HL, Mathias CJ. Plasma catecholamines in tetraplegics. *Paraplegia*. 1974; 12(1): 44-9.

Frankel HL. Accidental perforation of the rectum. *Paraplegia*. 1974; 11(4): 314-6.

Guttmann L. [Proceedings: Spinal fractures in transverse lesions of the spinal cord]. *Z Orthop Ihre Grenzgeb*. 1974 Aug; 112(4): 910-8. German.

Mathias CJ, Hillier K, Frankel HL, Spalding JM. Plasma prostaglandin E during neurogenic hypertension in tetraplegic man. *Clinical Science & Molecular Medicine* 1974; 49(6): 625-8.

Silver JR. The prophylactic use of anticoagulant therapy in the prevention of pulmonary emboli in one hundred consecutive spinal injury patients. *Paraplegia*. 1974 Nov; 12(3): 188-96.

Silver JR. Management of urinary tract infection in acute paraplegic patients with special reference to the paper strip screening test for infection. *Paraplegia*. 1974 May; 12(1): 50-63.

Silver JR. Renal disorders in paraplegic patients. *Practitioner*. 1974 Jan; 212(267): 51-5.

1973

Burr RG. Blood zinc in the spinal patient. *J Clin Pathol*. 1973 Oct; 26(10): 773-5.

Ede MC, Burr RG. Circadian rhythm of therapeutic effectiveness of oxymetholone in paraplegic patients. *Clin Pharmacol Ther*. 1973 May-Jun; 14(3): 448-54.

Ede MC, Burr RG. Circadian rhythm of urinary calcium excretion during immobilization. *Aerosp Med*. 1973 May; 44(5): 495-8.

Frankel HL. Intermittent catheterization. *Urologic Clinics of North America*. 1973; 1(1): 115-24.

Frankel HL, Mathias CJ, Walsh JJ. Blood pressure, plasma catecholamines and prostaglandins during artificial erection in a male tetraplegic. *Paraplegia* 1973; 12(3): 205-11.

Guttmann L, Mehra NC. Experimental studies on the value of archery in paraplegia. *Paraplegia*. 1973 Aug; 11(2): 159-65.

Guttmann L. Sport and recreation for the mentally and physically handicapped. *R Soc Health J*. 1973 Aug; 93(4): 208-12.

Guttmann L. Reflections on rehabilitation. *Trans Med Soc Lond*. 1973; 89: 228-35.

1972

Broughton A, Burr RG. Magnesium metabolism following spinal cord injury. *Paraplegia*. 1972 Aug; 10(2): 134-41.

Burr RG, Rajan KT. Leucocyte ascorbic acid and pressure sores in paraplegia. *Br J Nutr*. 1972 Sep; 28(2): 275-81.

Burr RG. Urinary calcium, magnesium, crystals and stones in paraplegia. *Paraplegia*. 1972 May; 10(1): 56-63.

Corbett M, Frankel HL, Michaelis L. A double blind, cross-over trial of Valium in the treatment of spasticity. *Paraplegia*. 1972; 10(1): 19-22.

Eidelman BH, Debarge O, Corbett JL, Frankel HL. Absence of cerebral vasoconstriction with hyperventilation in tetraplegic man. Evidence for neurogenic control of cerebral circulation. *Lancet*. 1972; 2(7775): 457-60.

Frankel HL, Michaelis LS, Golding DR, Beral V. The blood pressure in paraplegia. I. *Paraplegia*. 1972; 10(3): 193-200.

Noble MI, Frankel HL, Else W, Guz A. The sensation produced by threshold resistive loads to breathing. *European Journal of Clinical Investigation*. 1972; 2(2): 72-7.

1971

Corbett JL, Frankel HL, Harris PJ. Cardiovascular reflex responses to cutaneous and visceral stimuli in spinal man. *Journal of Physiology*. 1971; 215(2): 395-409.

Corbett JL, Frankel HL, Harris PJ. Cardiovascular changes associated with skeletal muscle spasm in tetraplegic man. *Journal of Physiology*. 1971; 215(2): 381-93.

Corbett, JL, Frankel HL, Harris PJ. Cardiovascular responses to tilting in tetraplegic man. *Journal of Physiology*. 1971; 215(2): 411-31.

Corbett JL, Frankel HL, Harris PJ. Cardiovascular reflexes in tetraplegia. *Paraplegia*. 1971; 9(3): 113-22.

Crawford JP, Frankel HL. Abdominal 'visceral' sensation in human tetraplegia. *Paraplegia*. 1971; 9(3): 153-8.

Frankel HL. Development of the method of intermittent catheterization in the treatment of the bladder in acute paraplegia. *Proceedings of the Veterans Administration Spinal Cord Injury Conference*. 1971; 18: 132-9.

Frankel HL. Traumatic quadriplegia with ectopic ossification. *Proceedings of the Royal Society of Medicine*. 1971; 64(2): 222-3.

Frankel HL, Guz A, Noble M. Respiratory sensations in patients with cervical cord transection. *Paraplegia*. 1971; 9(3): 132-6.

Guttmann L, Walsh JJ. Prostigmin assessment test of fertility in spinal man. *Paraplegia*. 1971 May; 9(1): 39-51.

Guttmann L. Rehabilitation of severely handicapped, especially of paraplegic patients. *Dtsch Med J*. 1971 Mar; 22(5): 139-43.

Johnson RH, Park DM, Frankel HL. Orthostatic hypotension and the renin-angiotensin system in paraplegia. *Paraplegia*. 1971; 9(3): 146-52.

Noble MI, Eisele JR, Frankel HL, Else W, Guz A. The role of the diaphragm in the sensation of holding the breath. *Clinical Science*. 1971; 41(3): 275-83.

Noble MI, Frankel HL, Else W, Guz A. The ability of man to detect added resistive loads to breathing. *Clinical Science*. 1971; 41(3): 285-7.

1970

Frankel HL . Tracheal stenosis following tracheostomy. *Paraplegia*. 1970; 8(3): 172-6.

Guttmann L, Michaelis LS. Proceedings of the annual scientific meeting of the International Medical Society of Paraplegia, 28 to 30 July 1969, held at Stoke Mandeville Hospital, Aylesbury. *Paraplegia*. 1970 Aug; 8(2): 67-9.

Guttmann L. Spinal shock and reflex behaviour in man. *Paraplegia*. 1970 Aug; 8(2): 100-16.

Noble MI, Frankel HL, Eisele JH, Trenchard D, Else W, Guz A. The role of the diaphragm in the genesis of the sensation of holding the breath. *Clinical Science*. 1970; 38(1): 3P.

1969

Frankel HL, Hancock DO, Hyslop G, Melzak J, Michaelis LS, Ungar GH, Vernon JD, Walsh JJ. The value of postural reduction in the initial management of closed injuries of the spine with paraplegia and tetraplegia. I. *Paraplegia*. 1969; 7(3): 179-92.

Frankel HL. Ascending cord lesion in the early stages following spinal injury. *Paraplegia*. 1969; 7(2): 111-8.

Guttmann L. Nursing problems in traumatic tetraplegia. *Int J Nurs Stud*. 1969 Sep; 6(3): 151-61.

Guttmann L. Spinal deformities in traumatic paraplegics and tetraplegics following surgical procedures. *Paraplegia*. 1969 May; 7(1): 38-58.

Melzak J. Paraplegia among children. *Lancet*. 1969 Jul 5;2(7610):45-8.

Melzak J. Spinal deformities with paraplegia in two sisters with Morquio-Brailsford syndrome. *Paraplegia*. 1969 Feb;6(4):246-58.

Michaelis LS. International inquiry on neurological terminology and prognosis in paraplegia and tetraplegia. *Paraplegia*. 1969 May; 7(1): 1-5.

Tribe CR and Silver JR. *Renal failure in paraplegia* London: Pittman Medical Publishing Co. Ltd. 1969

1968

Frankel HL. Associated chest injuries. *Paraplegia*. 1968; 5(4): 221-5.

Guttmann L. The re-orientation of posture and locomotion in the spinal man. *Proc R Soc Med*. 1968 Jan; 61(1): 47-54.

Walsh JJ. Further experience with intermittent catheterisation. *Paraplegia*. 1968 Aug; 6(2): 74-8.

1967

Edwards KB, Frankel HL, Guttman L. Cholesterol and protein studies in early stages of traumatic paraplegia and tetraplegia. *Paraplegia*. 1967; 5(1): 49-59.

Frankel HL. Bowel training. *Paraplegia*. 1967; 4(4): 254-8.

Guttman L. Organisation of spinal units. History of the National Spinal Injuries Centre, Stoke Mandeville Hospital, Aylesbury. *Paraplegia*. 1967 Nov; 5(3): 115-26.

Walsh JJ. Further experience with intermittent catheterization. *Proc Annu Clin Spinal Cord Inj Conf*. 1967 Sep 27; 16: 134-41.

1966

Doggart JR, Guttman L, Silver JR. Comparative studies on endogenous creatinine and urea clearances in paraplegics and tetraplegics. *Paraplegia*. 1966 Feb; 3(4): 229-42.

Floyd WF, Guttman L, Noble CW, Parkes KR, Ward J. A study of the space requirements of wheelchair users. *Paraplegia*. 1966 May; 4(1): 24-37.

Guttman L, Frankel H. The value of intermittent catheterisation in the early management of traumatic paraplegia and tetraplegia. *Paraplegia*. 1966 Aug; 4(2): 63-84.

Melzak J. The incidence of bladder cancer in paraplegia. *Paraplegia*. 1966 Aug;4(2):85-96.

1965

Dollfus P, Frankel HL. Cardiovascular reflexes in tracheostomised tetraplegics. *Paraplegia*. 1965 Feb; 2(4): 228.

Frankel HL, Guttman L. Prevention of urinary infection by intermittent catheterisation. *Paraplegia*. 1965 May; 3(1): 82.

Guttman L, Maling RG. Demonstration of a special electric control for a power-driven wheelchair for high spinal cord lesions. *Paraplegia*. 1965 Nov; 3(3): 197-8.

Guttman L. A new turning-tilting bed. *Paraplegia*. 1965 Nov; 3(3): 193-7.

Guttman L. Reflections on sport for the physically handicapped. *Physiotherapy*. 1965 Aug; 51: 252-3.

Guttman L, Frankel HL, Paeslack V. Cardiac irregularities during labour in paraplegic women. *Paraplegia*. 1965; 3(2): 144-51.

Guttman L. The 1964 international Stoke Mandeville games for the paralysed in Tokyo. *Paraplegia*. 1965 May; 3(1): 58-61.

Guttman L, Silver JR. Electromyographic studies on reflex activity of the intercostal and abdominal muscles in cervical cord lesions. *Paraplegia*. 1965 May; 3(1): 1-22.

Guttmann L. The international Stoke Mandeville games for the paralysed: Tokyo, 1964. *Physiotherapy*. 1965 Mar; 51: 78-83.

Silver JR. Circulatory reflexes in spinal man. *Paraplegia*. 1965 Mar; 2: 235-46.

1964

Colley EW, Frankel HL. Penicillin G treatment of urinary infection in paraplegia. *Paraplegia*. 1964; 2: 132.

Guttmann L. The married life of paraplegics and tetraplegics. *Paraplegia*. 1964 Oct; 2: 182-8.

Guttmann L. Rehabilitation and the paraplegic. *J Coll Gen Pract*. 1964 Jul; 8(suppl1): 36-42.

Guttmann L. [20 years of rehabilitation work with patient with spinal cord injuries.] *Munch Med Wochenschr*. 1964 Jul; 106: 1375-85. German.

Guttmann L. Some problems in the initial management of spinal cord injuries. *Physiotherapy*. 1964 Jan; 50: 10-4.

Melzak J, Porter NH. Studies of the reflex activity of the external sphincter ani in spinal man. *Paraplegia*. 1964 Mar; 1: 277-96.

1963

Colley EW, Frankel HL. Colomycin in treatment of urinary tract infection. *British Medical Journal*. 1963; 2: 790.

Connell, AM, Frankel HL, Guttmann L. Motility of the pelvic colon following complete lesions of the spinal cord. *Paraplegia*. 1963; 1: 98.

Guttmann L. Foreword. *Paraplegia* 1963; 1: 1.

Guttmann L, Munro AF, Robinson R, Walsh JJ. Effect of tilting on the cardiovascular responses and plasma catecholamine levels in spinal man. *Paraplegia*. 1963 May; 1: 4-18.

Robertson DN, Guttmann L. The paraplegic patient in pregnancy and labour. *Proc R Soc Med*. 1963 May; 56: 381-7.

Silver JR. The oxygen cost of breathing in tetraplegic patients. *Paraplegia*. 1963 Dec; 1: 204-14.

Tribe CR. Causes of death in the early and late stages of paraplegia. *Paraplegia* 1963; 1: 19-47.

1962

Guttmann L. The problem of occupational rehabilitation and of job resettlement of paraplegics. *Riv Infort Mal Prof.* 1962 May-Aug; 49: 433-45.

Parks AG, Porter NH, Melzak J. Experimental study of the reflex mechanism controlling the muscle of the pelvic floor. *Dis Colon Rectum.* 1962 Nov-Dec; 5:407-14.

1961

Guttmann L. The management of paraplegia. *Med Annu.* 1961; 79: 19-31.

1960

Guttmann L. Rehabilitation (with special reference to spinal paraplegia). *Rev Int Serv Sante Armees.* 1960 Jan-Feb; 33: 60-5.

1959

Guttmann L. The regulation of rectal function in spinal paraplegia. *Proc R Soc Med.* 1959 Feb; 52(2): 86-9.

1958

Guttmann L, Silver J, Wyndham CH. Thermoregulation in spinal man. *J Physiol.* 1958 Aug 6; 142(3): 406-19.

Guttmann L. [Therapy and rehabilitation in spinal cord lesions]. *Schweiz Med Wochenschr.* 1958 May 31; 88(22): 539-42 concl. German.

Guttmann L. [Treatment and rehabilitation in spinal cord lesions]. *Schweiz Med Wochenschr.* 1958 May 24; 88(21): 511-5 contd. German.

Guttmann L. [Traumatic spinal paraplegia; modern principles of treatment & rehabilitation]. *Recenti Prog Med.* 1958 May; 24(5): 459-502. Italian.

1957

Maccarthy D, Lindsay M, Macnab GH, Nash Df, Guttmann L. Discussion of the problems of spina bifida cystica. *Proc R Soc Med.* 1957 Oct; 50(10): 737-46.

Cooper KE, Ferres HM, Guttmann L. Vasomotor responses in the foot to raising body temperature in the paraplegic patient. *J Physiol.* 1957 May 23; 136(3): 547-55.

1956

Guttmann L. [Rehabilitation of paraplegics]. *Dtsch Med J.* 1956 May 23; 7(9-10): 326-30. German.

Guttmann L. The management of the paraplegic patient. *Practitioner.* 1956 Feb; 176(1052): 157-70.

Guttmann L. [Fundamentals of rehabilitation of paraplegics]. *Dtsch Z Nervenheilkd.* 1956; 175(2): 173-90. German.

1955

Guttmann L. The problem of treatment of pressure sores in spinal paraplegics. *Br J Plast Surg.* 1955 Oct; 8(3): 196-213.

1954

Guttmann L. Initial treatment of traumatic paraplegia. *Proc R Soc Med.* 1954 Dec; 47(12): 1103-9.

Guttmann L. Statistical survey on one thousand paraplegics. *Proc R Soc Med.* 1954 Dec; 47(12): 1099-103.

1953

Guttmann L. *Medical History of the Second World War; Surgery.* pp 422-516. In: Cope Z. London: H.M.S.O.

Cunningham DJ, Guttmann L, Whitteridge D, Wyndham CH. Cardiovascular responses to bladder distension in paraplegic patients. *J Physiol.* 1953 Sep; 121(3): 581-92.

1952

Guttmann L. Studies on reflex activity of the isolated cord in the spinal man. *J Nerv Ment Dis.* 1952 Dec; 116(6): 957-72.

Guttmann L. Principles of rehabilitation in disseminated sclerosis. *Br J Phys Med.* 1952 Aug; 15(8): 189-91.

1951

Guttmann L. Problems of physiotherapy in poliomyelitis. *Br J Phys Med.* 1951 Apr; 14(4): 73-4.

1949

Guttmann L. The principles of physiotherapy in the treatment of spinal paraplegia. *Physiotherapy.* 1949 Oct; 35(10): 157-64, illust.

Guttmann L. Surgical aspects of the treatment of traumatic paraplegia. *J Bone Joint Surg Br.* 1949 Aug; 31B(3): 399-403.

1948

Gilliatt RW, Guttmann L, Whitteridge D. Inspiratory vaso-constriction in patients after spinal injuries. *J Physiol.* 1948 Jan 1; 107(1): 67-75.

1947

Guttmann L, Whitteridge D. Effects of bladder distension on autonomic mechanisms after spinal cord injuries. *Brain* 1947 Dec; 70(Pt 4): 361-404.

Guttmann L. The management of the quinizarin sweat test (Q.S.T.). *Postgrad Med J.* 1947 Aug; 23(262): 353-66.

Guttmann L. The management of the quinizarin sweat test. *Overseas Postgrad Med J.* 1947 Jul; 1(4): 69-82.

1946

Guttmann L. Problems of physical therapy for persons with traumatic paraplegia. *Arch Phys Med Rehabil.* 1946 Dec; 27(12): 750-6.

Guttmann L. Rehabilitation after injuries to the spinal cord and cauda equina. *Br J Phys Med.* 1946 Nov-Dec; 9(6): 162-71.

Guttmann L. Nursing problems in the rehabilitation of spinal cord injuries. *Nurs Times.* 1946 Oct 19; 42: 798 passim.

Guttmann L. Rehabilitation after injuries to the spinal cord and cauda equina. *Br J Phys Med.* 1946 Sep-Oct; 9(5): 130 passim.

Guttmann L. New hope for spinal cord sufferers. *Aust Hosp.* 1946 Sep; 13(9): 8-11

Guttmann L. New hope for spinal cord sufferers. *S Afr Med J.* 1946 Mar 23; 20: 141-4.

1945

Guttmann L. New hope for spinal cord sufferers. *Med Times.* 1945; 73: 318-26.